

TAYLOR.



2021-22 PROFESSIONAL PRODUCTS



TOOLS THE PROS TRUST



The Taylor Advantage

Best Quality:

Precision measurement has been the exclusive focus of our business for 170 years. Our ability to fulfill the professional market's exacting standards for accuracy, durability, and design is built on a legacy of technical expertise, quality materials and a constant awareness of changing industry needs.

Best Selection:

The diversity of our product line reflects an ongoing commitment to provide the best solutions to the food service and professional community at every level... with ever-expanding choices in specialized temperature and weight measurement instruments that promote food safety, enhanced productivity and user convenience.

One Source:

We're the Food Service and Professional industry's most complete source for both thermometers and scales. So to simplify your purchasing process, plus improve your choices, quality and value... We've got everything you need. Taylor... Tools the Pros Trust in thermometers, timers, scales, professional cutlery, and kitchen gadgets.





Contents

Thermometers	4-31
Instant Read Dial Thermometers 1" Standard Grade	4-5
Instant Read Dial Thermometers 1" Superior Grade	5
Bi-Therm® Dial Thermometers 2" Superior Grade	6
Bi-Therm® Dial Thermometers 1 ¾" Superior Grade	6
Hand Held Thermocouple Thermometers	7
K-Type Probes for Thermocouple Thermometers	8
Infrared Thermometers	8-9
Pocket Digital Thermometers	9-11
Roast/Meat Thermometers	12
Cooking Thermometers	13
Candy & Deep Fry Thermometers	13-14
Oven/Grill Thermometers	15
Refrigerator/Freezer Thermometers	16-18
Panel Mount Digital Thermometer	18
HACCP Food Safety Products	19
Special Use Thermometers	20
Temperature Strips/Dishwasher Thermometers	21
PH Meter and Accessories	22
Dial Thermometers/Clocks	23-24
Window/Wall Thermometers	25-27
Max/Min Thermometers	28
Pocket Case Thermometers	29
Thermometer Comparison Guide	30-31
Timers	32-37
Mechanical	32
Digital	33-35
Digital Timer Comparison Guide	36-37
Scales	38-41
Digital Scales	38
Digital Portion Control Scales	39-41
Digital Keg Scale	42-43
Analog Portion Control Scales	44-45
Heavy Duty Mechanical Scales	46
Receiving Scales	47
Scale Comparison Guide	48-49
Cutlery	50-53
Kitchen Tools & Gadgets	54-57
Chef'n Fruit & Veg Prep	54-55
Swing-A-Way Commercial Openers	56-57
Wine & Bar Accessories	58-59
Manual Corkscrews	58
Preservers	59
Other Accessories	59
Hotel & Resort	60-61
Miscellaneous Parts, Supplies & Accessories	62
Terms and Conditions	62
Index	63-65
Temperature Safety Guides	66-67
English	66
Spanish	67

THERMOMETERS

Instant Read Dial Thermometers 1" Standard Grade



Exclusive Safe-T-Set Calibration System

All 1" models have a protective pocket case which doubles as a calibration tool.



- ▶ 5" stem
- ▶ Recalibratable
- ▶ Accuracy +/- 2°F/1°C at dial midpoint
- ▶ Patented recalibration wrench built into pocket case
- ▶ Shatterproof Lexan® plastic lens
- ▶ High visibility dial graphics
- ▶ Convenient, protective case
- ▶ Durable stainless steel
- ▶ Superior shock protection
- ▶ Individual cartons with hang tabs (except 3621N, 5988N, 5989NFS which are a blister card)

3621N

- ▶ Temperature range: 0°F / 220°F
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Pack Qty.: 6

5988N

- ▶ Temperature range: 50°F / 550°F
- ▶ Pack Qty.: 6

5989NFS

- ▶ Temperature range: 0°F / 220°F and -14°C / 105°C
- ▶ Pack Qty.: 6

6065N

- ▶ Temperature range: -40°C / 70°C
- ▶ Pack Qty.: 12

6091N

- ▶ Temperature range: -40°F / 120°F
- ▶ Pack Qty.: 12

6092N

- ▶ Temperature range: 0°F / 220°F
- ▶ Pack Qty.: 12

6093N

- ▶ Temperature range: 50°F / 550°F
- ▶ Pack Qty.: 12

6094N

- ▶ Temperature range: -40°C / 50°C
- ▶ Pack Qty.: 12

6096N

- ▶ Temperature range: -40°F / 160°F
- ▶ Pack Qty.: 12

6099N

- ▶ Temperature range: -10°C / 110°C
- ▶ Pack Qty.: 12



Pocket Test Thermometer



- ▶ 1" magnified lens
- ▶ Protective pocket sleeve
- ▶ Pack Qty.: 6

3512FS

- ▶ Temperature range: 0°F / 220°F



3517

- ▶ Temperature range: 50°F / 550°F



Instant Read Dial Thermometers 1 3/4" Standard Grade



- ▶ 5" stem and 1 3/4" dial
- ▶ Recalibratable
- ▶ Standard grade with 1 point calibration
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case



8018N

- ▶ Temperature range: 0°F/220°F and 0°C/100°C
- ▶ Pack Qty.: 6

Instant Read Dial Thermometers 1" Superior Grade



- ▶ 5" stem
- ▶ Recalibratable
- ▶ Accuracy +/- 2°F/1°C of entire range
- ▶ 3 point calibration
- ▶ Patented recalibration wrench built into pocket case
- ▶ Shatterproof Lexan® plastic lens
- ▶ High visibility dial graphics
- ▶ Convenient protective case
- ▶ Durable stainless steel
- ▶ Superior shock protection
- ▶ Individual cartons with hang tabs



6071

- ▶ Temperature range: -40°F /120°F
- ▶ Pack Qty.: 12

6072N

- ▶ Temperature range: 0°F/220°F
- ▶ Pack Qty.: 12

6073J

- ▶ Temperature range: 50°F /550°F
- ▶ Pack Qty.: 12

6075

- ▶ Temperature range: 25°F /125°F
- ▶ Pack Qty.: 12

6076J

- ▶ Temperature range: -40°F /160°F
- ▶ Pack Qty.: 12

6079J

- ▶ Temperature range: -10°C /110°C
- ▶ Pack Qty.: 12

THERMOMETERS

Bi-Therm® Dial Thermometers 2" Superior Grade



6211J

- ▶ Temperature range: -40°F /120°F
- ▶ Pack Qty.: 1

6212J

- ▶ Temperature range: 25°F /125°F
- ▶ Pack Qty.: 1

6215J

- ▶ Temperature range: 0°F /220°F
- ▶ Pack Qty.: 1

6220J

- ▶ Temperature range: 50°F /550°F
- ▶ Pack Qty.: 1

6235J

- ▶ Temperature range: -10°C /110°C
- ▶ Pack Qty.: 4



INSTANT
READ



STAINLESS
STEEL

- ▶ 8" stems
- ▶ Recalibratable
- ▶ 3 point calibration
- ▶ Accuracy +/- 2°F/1°C of entire range
- ▶ Stainless steel external parts
- ▶ High visibility dial graphics
- ▶ Extended scale design
- ▶ Packed in individual boxes

Bi-Therm® Dial Thermometers 1¾" Superior Grade



8212J

- ▶ Temperature range: 25°F /125°F
- ▶ Pack Qty.: 1

8215N

- ▶ Temperature range: 0°F /220°F and -10°C/110°C
- ▶ Vessel clip included
- ▶ Pack Qty.: 6



8220J

- ▶ Temperature range: 50°F /550°F
- ▶ Pack Qty.: 1

8238J

- ▶ Temperature range: 0°C /250°C
- ▶ 2°C divisions
- ▶ Pack Qty.: 1



INSTANT
READ



STAINLESS
STEEL

- ▶ 8" stems
- ▶ Recalibratable
- ▶ 3 point calibration
- ▶ Accuracy +/- 2°F/1°C of entire range
- ▶ Stainless steel external parts
- ▶ High visibility dial graphics
- ▶ Anti-parallax dial/case design
- ▶ Extended scale design
- ▶ Superior shock protection
- ▶ Packed in individual boxes (except 8215N is on blister card)

Hand Held Thermocouple Thermometers



9306N Splash-Proof Dual Temp Infrared Thermometer with Fold Out Thermocouple Step Down Probe

- RECALIBRATE
- BATTERY INCLUDED
- WATER PROOF
- °F/°C
- FAHRENHEIT/CELSIUS
- Thermocouple range: -67°/626°F and -55°C/330°C with accuracy from 14° to 149°F (-10° to 65°C) +/- 1°F (0.6°C)
- Infrared range: -67°/482°F and -55°C/250°C with accuracy from 32°F to 149°F (0°C to 65°C) +/- 2°F (1°C)
- Resolution: 0.5°F or 0.2°C
- HACCP pass/fail light system
- Adjustable emissivity
- D:S=3:1
- Auto shut off
- IP65 rated
- 2 - AAA batteries included
- Pack Qty.: 2



9405 High Accuracy Waterproof K-Type Thermocouple Thermometer

- RECALIBRATE
- BATTERY INCLUDED
- WATER PROOF
- °F/°C
- FAHRENHEIT/CELSIUS
- Temperature range: -40°F /500°F and -40°C/260°C
- With a 2-second response probe and a 4 ft. cord
- +/- 1° over HACCP range
- Recalibratable from the front panel switches
- Auto-off feature
- IP65 rated
- 1 - 9V battery included
- Pack Qty.: 1/24



9821PBN Thermocouple Thermometer with Step Down K-Type Probe

- RECALIBRATE
- BATTERY INCLUDED
- °F/°C
- FAHRENHEIT/CELSIUS
- Temperature range: -58°F /392°F and -50°C/200°C
- Compact size with oversized 1.1" LCD readout
- Hold function and C/F switch
- Includes 1.5mm step down k-type probe with quick response time
- IP65 rated
- 2 - AAA batteries included
- Pack Qty.: 2



9867FDA Digital Folding Probe Thermometer

- BATTERY INCLUDED
- °F/°C
- FAHRENHEIT/CELSIUS
- NSF
- Temperature range: -40°F /572°F and -40°C/300°C
- 1.5mm step down probe diameter, FDA recommended
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- Recalibration system
- Thermocouple
- Stabilized reading in 5 seconds or less
- 2 - AAA batteries included
- Pack Qty.: 2



Folding Thermocouple Thermometer

- BACKLIGHT
- WATER PROOF
- BATTERY INCLUDED
- PIVOT DISPLAY
- RECALIBRATE
- NSF
- Temperature range: -40°F /572°F and -40°C/300°C
- 1.5mm step down probe diameter, FDA recommended
- Pivoting probe of 270°
- Large 180° rotating display with white backlight
- Recalibratable with auto off and hold features
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- Black nylon storage case
- Waterproof IP67 rated
- Pack Qty.: 2



9868FDA ★

► Available in Yellow

5256860 ★

► Available in Red

THERMOMETERS

K-Type Probes for Thermocouple Thermometers



9806 Clip-On Probe

- ▶ Clip-on oven probe includes 4' lead
- ▶ Pack Qty.: 1



98102 Hamburger/Filet Probe

- ▶ 3/16" tip with 5' lead
- ▶ Pack Qty.: 1



9812 Angle Surface Probe

- ▶ Includes 5' lead
- ▶ Pack Qty.: 1



9818 Step-Down Penetration Probe with 3' Lead

- ▶ 1.50 mm tip diameter with 3' lead
- ▶ Pack Qty.: 1



Infrared Thermometers



9305 Dual Temp Infrared & Thermocouple Thermometer

CR2032
BATTERY
INCLUDED



°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Thermocouple range: -67°F /630°F and -55°C/330°C
- ▶ Infrared range: -27°F /428°F and -33°C/220°C
- ▶ Great for non-contact measurement
- ▶ Min/max/hold features
- ▶ Includes folding step down probe with nylon storage case
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 2



9523 Infrared Thermometer

AAA
BATTERY
INCLUDED

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -49°F /752°F and -45°C/400°C
- ▶ Scan and hold features
- ▶ Emissivity fixed at 0.95 and resolution at 0.1°F/0.1°C
- ▶ Spot to distance ratio is 6:1
- ▶ Includes nylon storage case
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



Infrared Thermometers (cont.)



9527 Infrared Thermometer



- Temperature range: -67°F /428°F and -55°C/220°C with accuracy of +/- 1.1°F (0.6°C)
- Resolution: 0.1°F/C
- Min/max/lock modes
- Auto-off after 15 seconds
- Emissivity range is 0.95 (default) and adjustable to 0.005 to 1 (step 0.1)
- Quick response at 1 second
- Low battery indicator
- Protective rubber boot and lanyard included
- 1 - CR2032 battery included
- Pack Qty.: 2



5256881 Infrared Thermometer ★



- Temperature range: -58°F/716° and -50°C/380°C
- Scan and hold features
- Emissivity fixed at 0.95 and resolution at 0.1°F/0.1°C
- Spot to distance ratio is 12:1
- 1 - 9V battery included
- Pack Qty.: 2



Pocket Digital Thermometers



1476FDA Compact Folding Thermometer



- Temperature range: -40°F /392°F and -40°C/200°C
- FDA recommended step down probe
- Auto-off feature
- Magnet on the back
- Lanyard included
- 1 - LR44 battery included
- Pack Qty.: 6



3516FS Digital Instant Read Thermometer



- Temperature range: -40°F /392°F and -40°C/200°C
- FDA recommended step down probe
- Auto-off feature
- Magnet on the back
- Lanyard included
- 1 - LR44 battery included
- Pack Qty.: 6



3519FDA Waterproof Digital Instant Read Thermometer with Step Down Probe



- Temperature range: -40°F /450°F and -40°C/232°C
- Resolution: 0.1°F/C
- Easy to grip, pen style design
- 1.5mm step down probe as recommended by the FDA
- Waterproof design with instant read and hold feature
- Auto-shut off feature
- 1 - LR44 battery included
- Pack Qty.: 3



THERMOMETERS

Pocket Digital Thermometers (cont.)



3519PRFDA Waterproof Digital Instant Read Thermometer with Step Down Probe

- ▶ Temperature range: -40°F /450°F and -40°C/230°C
- ▶ Resolution: 0.1°F/°C
- ▶ Easy to grip, pen style design
- ▶ 1.5mm step down probe as recommended by the FDA
- ▶ Waterproof design with instant read and hold feature
- ▶ Auto-shut off feature
- ▶ Helps support allergy safety
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3



9836 Adjustable Head Digital Thermometer

- ▶ Temperature range: -40°F /450°F and -40°C/230°C
- ▶ Supersized 1.0" readout
- ▶ Head pivots in multiple positions for easier reading
- ▶ Durable stainless steel 5" stem with step down tip
- ▶ Storage sleeve
- ▶ Auto-shut off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



9840PRN Digital Thermometer

- ▶ Temperature range: -40°F /302°F and -40°C/150°C
- ▶ Reduces the risk of cross-contamination
- ▶ Helps support allergy safety
- ▶ Stainless steel step down probe
- ▶ Auto-off feature
- ▶ Protective sleeve included
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



9840RB Digital Thermometer

- ▶ Temperature range: -40°F /302°F and -40°C/150°C
- ▶ Protective rubber boot included to withstand drops
- ▶ Stainless steel step down probe
- ▶ Auto-off feature
- ▶ Protective sleeve included
- ▶ 2 - LR44 batteries included
- ▶ Pack Qty.: 6



9841RB High Temp Digital Thermometer

- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Protective rubber boot included to withstand drops
- ▶ Stainless steel step down probe
- ▶ Auto-off feature
- ▶ Protective sleeve included
- ▶ 2 - LR44 batteries included
- ▶ Pack Qty.: 6



9842FDA Waterproof Digital Thermometer

- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Auto-off feature
- ▶ Recalibratable and C/F switch
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 6



Pocket Digital Thermometers (cont.)



9848EFDA Waterproof Digital Thermometer



- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Waterproof and dishwasher safe
- ▶ Min/max/hold features
- ▶ Recalibratable
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Blue backlit LCD
- ▶ Lanyard included
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 6



9867FDA Digital Folding Probe Thermometer



- ▶ Temperature range: -40°F /572°F and -40°C/300°C
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Recalibration system
- ▶ Thermocouple
- ▶ Stabilized reading in 5 seconds or less
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 2



Folding Thermocouple Thermometer



- ▶ Temperature range: -40°F /572°F and -40°C/300°C
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Pivoting probe of 270°
- ▶ Large 180° rotating display with white backlight
- ▶ Recalibratable with auto off and hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Black nylon storage case
- ▶ Waterproof IP67 rated
- ▶ Pack Qty.: 2

9868FDA ★

- ▶ Available in Yellow

5256860 ★

- ▶ Available in Red



9877FDA Compact Waterproof Digital Thermometer



- ▶ Temperature range: -40°F /450°F and -40°C/232°C
- ▶ Waterproof and dishwasher safe
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Response time less than 6 seconds with 1 second updates
- ▶ Min/max/hold features
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Auto-off feature
- ▶ 1 - CR1225 battery included
- ▶ Pack Qty.: 6



9878E High Precision Waterproof Digital Thermometer



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Waterproof and dishwasher safe
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Min/max/hold features
- ▶ Recalibratable
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Auto-off and disable auto-off functions
- ▶ Amber backlit LCD
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3



9878EPR Allergen Waterproof Digital Pocket Thermometer



- ▶ Temperature range: -40°F /500°F and -40°C/260°C
- ▶ Waterproof and dishwasher safe
- ▶ Helps support allergy safety
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Min/max/hold features
- ▶ Recalibratable
- ▶ Safe-T-Guard™ case incorporates an EPA registered product that inhibits the growth of bacterial odor and mold on the product case
- ▶ Auto-off and disable auto-off functions
- ▶ Amber backlit LCD
- ▶ 1 - CR2032 battery included
- ▶ Pack Qty.: 3

THERMOMETERS

Roast/Meat Thermometers



3504 Meat Dial Thermometer



- ▶ Temperature range: 120°F to 210°F
- ▶ 2" dial with USDA guidelines
- ▶ Adjustable temperature indicator
- ▶ Stainless steel 4½" stem
- ▶ Pack Qty.: 6



5937N Multi-Purpose Thermometer



- ▶ Temperature range: 105°F to 185°F
- ▶ Armored sabre-tipped tube for easy piercing
- ▶ Meat and yeast temperature guides
- ▶ Dishwasher safe
- ▶ Pack Qty.: 6



5939N Meat Thermometer



- ▶ Temperature range: 120°F to 212°F
- ▶ Large 3" dial
- ▶ Slide temperature indicator
- ▶ Meat guidelines on dial
- ▶ Pack Qty.: 6



61054J Meat Thermometer



- ▶ Temperature range: 0°F to 220°F
- ▶ Easy to read 2" dial
- ▶ 4" stainless steel stem with glass crystal
- ▶ Packed in individual carton
- ▶ Pack Qty.: 1



5984J Instant Read Meat Thermometer



- ▶ Temperature range: 0°F / 220°F
- ▶ 1 ½" dial with 5" stem
- ▶ Recalibratable
- ▶ Pack Qty.: 1



Cooking Thermometers



1470FS Digital Thermometer and Timer



- ▶ Temperature range: 32°F / 392°F and 0°C / 200°C
- ▶ Sealed stainless steel probe with 4' cord
- ▶ Temperature alarm signals when food is done
- ▶ 1.5mm step down probe diameter, FDA recommended
- ▶ Non-slip nylon clip on probe to prevent moisture from entering the probe
- ▶ On/off switch to preserve battery life
- ▶ Folds down for compact storage
- ▶ Magnet on back for mounting to stove
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 6



1470FSRP Replacement Probe for Model 1470FS



- ▶ Replacement Probe for Model 1470FS and 1470N
- ▶ Sealed stainless steel probe with 4' cord
- ▶ Pack Qty.: 1



3518N Digital Cooking Thermometer



- ▶ Temperature range: 32°F / 392°F and 0°C / 200°C
- ▶ Stainless steel probe with 4" silicone cord
- ▶ F/C switch
- ▶ Stand or use with magnet on back for mounting to stove
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



Candy & Deep Fry Thermometers



3505 Candy/Deep Fry Thermometer



- ▶ Temperature range: -40°F / 450°F and -40°C / 230°C
- ▶ 2" dial with candy zones
- ▶ Adjustable pan/kettle clip
- ▶ Temperature indicator
- ▶ 6" stem
- ▶ Pack Qty.: 6



3522FS Deep Fry Thermometer



- ▶ Temperature range: 50°F / 550°F and 50°C / 285°C
- ▶ 1 1/2" dial
- ▶ Durable 12" stainless steel stem with adjustable pan clip
- ▶ Temperature indicator
- ▶ Pack Qty.: 6



5911N Candy/Deep Fry Thermometer



- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Large 3" dial
- ▶ Slide temperature indicator
- ▶ Durable rounded tip
- ▶ 6" stainless steel stem
- ▶ Candy zones on dial
- ▶ Pack Qty.: 6

THERMOMETERS

Candy & Deep Fry Thermometers (cont.)



5978N Candy/Deep Fry Thermometer



- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Glass tube with adjustable pan clip
- ▶ Protective storage sleeve is printed with convenient cooking chart
- ▶ 8" in length
- ▶ Pack Qty.: 6



5983N Candy/Deep Fry Thermometer



- ▶ Temperature range: 100°F / 400°F and 50°C / 200°C
- ▶ Insulated handle with built in pan clip
- ▶ Large printing for easy to read temperature zones
- ▶ Classic stainless steel design
- ▶ 12" in length
- ▶ Pack Qty.: 6



6084J8 Professional Candy/Deep Fry Thermometer



- ▶ Temperature range: 50°F / 550°F
- ▶ 2" dial with 8" stem
- ▶ Pack Qty.: 1



6084J12 Professional Candy/Deep Fry Thermometer



- ▶ Temperature range: 50°F / 550°F
- ▶ 2" dial with 12" stem
- ▶ Pack Qty.: 1



983915 Adjustable Head Digital Candy/Deep Fry Thermometer



- ▶ Temperature range: -40°F / 450°F and -40°C / 230°C
- ▶ Multi-position pivoting head
- ▶ Large 1" LCD readout
- ▶ Adjustable pan clip
- ▶ Durable stainless steel 9" stem
- ▶ Auto-off feature
- ▶ 1 - LR44 battery included
- ▶ Pack Qty.: 3



Oven/Grill Thermometers



8146W Smoker Thermometer

- Temperature range: 100°F / 475°F
- Mounts directly onto smoker
- Luminescent ink for easy low-light viewing
- Pack Qty.: 6



5921N Oven Guide Thermometer



STAINLESS
STEEL



OVEN
SAFE



STAIN
RESISTANT
SURFACE

- Temperature range: 100°F / 600°F
- Easy-to-read zone guide references
- Durable stainless steel
- Hangs or stands
- Pack Qty.: 6



5932 Oven Dial Thermometer



STAINLESS
STEEL

°F/°C
FAHRENHEIT/
CELSIUS



3"
DIAL



- Temperature range: 100°F / 600°F and 50°C / 300°C
- 3" dial
- Durable stainless steel
- Hangs or stands
- Pack Qty.: 6



5980N Professional Hot Holding Thermometer



STAINLESS
STEEL

°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: 100°F / 180°F and 38°C / 82°C
- Dial includes HACCP guidelines
- Pack Qty.: 6



5984J Instant Read Oven Thermometer



STAINLESS
STEEL



- Temperature range: 0°F / 220°F
- 1 3/4" dial with 5" stem
- Recalibratable
- Pack Qty.: 1



5986N Dial Proofing Thermometer



STAINLESS
STEEL

°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: 70°F / 130°F and 20°C / 54°C
- Dial includes proofing zone indicator
- Pack Qty.: 6



6021 Surface Temperature Thermometer



STAINLESS
STEEL



2"
DIAL



- Temperature range: 100°F / 700°F and 50°C / 350°C
- Monitor grill or any surface temperatures
- Easy-to-read 2" dial
- Enclosed design protects coil
- Pack Qty.: 6



6246J CharBroiler Thermometer



STAINLESS
STEEL

- Temperature range: 200°F / 1000°F
- Hermetically sealed
- Holder for use on the grill
- Includes heat deflection sheet for use on CharBroiler
- Pack Qty.: 4



3506FS Oven Dial Thermometer



OVEN
SAFE

°F/°C
FAHRENHEIT/
CELSIUS



- Temperature range: 100°F / 600°F and 50°C / 300°C
- 2 1/2" dial
- Durable stainless steel
- Hangs or stands in oven
- Pack Qty.: 6



VALUE

THERMOMETERS

Refrigerator/Freezer Thermometers



5262798 Digital Fridge/Freezer Thermometer ★

- MULTIUSE
- FOOD SAFETY
- °F/°C FAHRENHEIT/CELSIUS
- CR2025 BATTERY INCLUDED

- ▶ Large 2" LCD readout with min/max temperature tracking
- ▶ Temperature range: -4°F to 140°F/-20°C to 60°C
- ▶ Attaches with suction cup or adjustable clip
- ▶ Safe zones printed on front panel for easy reference
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6

OPTIMAL TEMPERATURES		
Proper storage temperatures are critical to food safety. Using a thermometer will measure temperatures to ensure refrigerators and freezers are operating within food safety guidelines and food is being stored safely.		
	SAFE ZONES	DANGER ZONES
Refrigerator	32°F-40°F	42°F +
Freezer	-10°F-0°F	10°F +



1443 Digital Refrigerator/Freezer Thermometer

- FRIDGE
- 0.8" DIGITAL DISPLAY
- MEMORY
- CR2025 BATTERY INCLUDED

- ▶ Temperature range: -4°F / 140°F and -20°C / 60°C
- ▶ Large LCD readout with min/max feature
- ▶ Hangs, stands or attaches with magnet
- ▶ F/C switchable
- ▶ 1 - CR2025 battery included
- ▶ Pack Qty.: 6



1445 Safety Zone Fridge/Freezer Digital Thermometer ★

- 23:59:59 TIMER RANGE
- 0.6" DIGITAL DISPLAY
- FOOD SAFETY
- CR2025 BATTERY INCLUDED

- ▶ Temperature range: -4°F / 140°F and -20°C / 60°C
- ▶ Track internal temperature of fridge or freezer
- ▶ Programmed with safety zone temperatures
- ▶ Alerts to potential food safety concern
- ▶ Pack Qty.: 6



3503FS Refrigerator/Freezer Thermometer

- FRIDGE
- FOOD SAFETY
- °F/°C FAHRENHEIT/CELSIUS
- NSF

- ▶ Temperature range: -20°F / 80°F and -30°C / 30°C
- ▶ Safe temperature zone indicators
- ▶ Hangs or attaches with suction cups
- ▶ Pack Qty.: 4



3507FS Refrigerator/Freezer Thermometer

- FRIDGE
- FOOD SAFETY
- °F/°C FAHRENHEIT/CELSIUS
- NSF

- ▶ Temperature range: -20°F / 80°F and -30°C / 30°C
- ▶ 2½" dial
- ▶ Hangs or stands in the fridge/freezer
- ▶ Safe temperature zone indicators
- ▶ Pack Qty.: 6



Refrigerator/Freezer Thermometers (cont.)



Refrigerator/Freezer Thermometer

 FRIDGE  FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Compact size ▶ Clips to rack or attaches with suction cup ▶ Safe temperature zone indicators
---	--

3509FS

- ▶ Blister carded
- ▶ Pack Qty.: 6

5926

- ▶ Bulk pack of 50 per box
- ▶ Pack Qty.: 1



5925NFS Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ Magnified face with shatterproof clear plastic lens ▶ Safe temperature zone indicators ▶ Hangs or attaches with suction cups ▶ Pack Qty.: 6
---	--



5924 Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	▶ Temperature range: -20°F / 80°F and -30°C / 30°C ▶ 3" dial ▶ Safe temperature zone indicators ▶ Hangs or stands ▶ Pack Qty.: 6
---	--



5927 Glycol Refrigerator/Freezer Thermometer

 FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS 	▶ Temperature range: -20°F / 60°F and -30°C / 30°C ▶ Polypropylene glycol simulates food product temperatures for a more accurate reading ▶ Not affected by ambient air changes due to door openings or cold and warm spots ▶ Reduces energy costs by mimicking food temperatures ▶ Hangs/stands/sits ▶ Pack Qty.: 6
---	---



5977N Refrigerator/Freezer Thermometer

 MULTIUSE  FOOD SAFETY °F/°C FAHRENHEIT/ CELSIUS	▶ Temperature range: -20°F / 60°F ▶ Magnified lens and shatterproof design ▶ Safe temperature zone indicators ▶ Pack Qty.: 6
--	---

THERMOMETERS

Refrigerator/Freezer Thermometers (cont.)



5981N Professional Refrigerator/Freezer Thermometer

- Temperature range: -30°F / 70°F and -34°C / 20°C
- Includes HACCP guidelines for safe temperature measurement
- Pack Qty.: 6



5982N Milk/Beverage Thermometer

- Temperature range: -40°F / 120°F and -40°C / 50°C
- Includes adhesive and magnetic backing
- Pack Qty.: 12



5994 Refrigeration Thermometer

- Temperature range: -30°F / 70°F and -34°C / 20°C
- Professional quality and accuracy
- Easy to read 3" dial with safe temperature one guide
- Durable stainless steel
- Includes adhesive backing
- Pack Qty.: 6



Panel Mount Digital Thermometer



9940N Panel Mount Digital Thermometer

- Temperature range: -40°F / 300°F and -40°C / 150°C
- Flush and flange mounting options
- Waterproof housing and probe
- 10' cable for both air and liquid immersion
- 1 - AAA battery included
- Pack Qty.: 4



HACCP Food Safety Thermometers



- ▶ 1" dial with 5" stem
- ▶ Stainless steel construction with shatterproof lens
- ▶ Pocket sleeve with patented built-in calibration feature



1" Dial Instant Read Reduce Cross Contamination Thermometers

6092NFSA

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ (5) 1" dial with 5" stem
- ▶ Pack Qty.: 3



6092NBLBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Blue - Fish
- ▶ Pack Qty.: 6



6092NBRBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Brown - Cooked Meat
- ▶ Pack Qty.: 6



6092NPRBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Purple - Allergy
- ▶ Pack Qty.: 6



6092NRDBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Red - Raw Meat
- ▶ Pack Qty.: 6



6092NYLBC

- ▶ Temperature range: 0°F /220°F and -10°C/100°C
- ▶ Color Coded: Yellow - Poultry
- ▶ Pack Qty.: 6



HACCP Probe Wipes



9999N

- ▶ 70% isopropyl alcohol
- ▶ Wipe dimensions: 2.5" x 1.25"
- ▶ Pack Qty.:
 - 100 single use wipes per box
 - 10 boxes per case



9999T

- ▶ 70% isopropyl alcohol
- ▶ Wipe dimensions: 3.25" x 2.5"
- ▶ Pack Qty.:
 - 70 cleansing wipes per tub
 - 10 tubs per case



THERMOMETERS

Special Use Thermometers



5416J Cup Case Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F /130°F and -40°C/55°C
- F&C cup case with ring top
- Brass casing
- Permacolor® filled
- Pack Qty.: 4



5948N Tobacco Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 10°F /200°F and -10°C/95°C
- F&C scales
- Green color zones for curing process
- Pack Qty.: 1



5976N Soil Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 20°F /180°F and 0°C/80°C
- F&C scales
- Color coded zone for min, max & optimal soil temperatures
- Pack Qty.: 6



5985N Hot Beverage Thermometer

RECALIBRATE
NSF

- Temperature range: 70°F /190°F
- 1" dial with 5" stem
- Pan clip and sleeve included with built-in calibration wrench
- Pack Qty.: 4



5997E Cappuccino Frothing Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 120°F /180°F and 50°C/80°C
- Easy to read zoned dial for optimal frothing temperatures
- Sealed dial design to prevent fogging
- Pack Qty.: 4



8215N 1 1/4" Dial Hot Beverage Thermometer

RECALIBRATE
NSF

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 0°F /220°F and -10°C/100°C
- 9" stem with vessel clip
- Recalibratable
- Blister carded
- Pack Qty.: 6



Temperature Strips/Dishwasher Thermometers



8750 TempRite® Temperature Test Labels

- ▶ Temperature range: 180°F / 82°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8751 TempRite® Temperature Test Labels

- ▶ Temperature range: 160°F / 71°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8752 TempRite® Temperature Test Labels

- ▶ Temperature range: 170°F / 76°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8766J TempRite® Temperature Test Strips

- ▶ Temperature range: 160°F / 71°C
- ▶ 1 pack of 25 test strips
- ▶ Pack Qty.: 12



8767J TempRite® Temperature Test Strips

- ▶ Temperature range: 180°F / 82°C
- ▶ 1 pack of 25 test strips
- ▶ Pack Qty.: 12



8769 TempRite® Temperature 3 in 1 Test Labels

- ▶ Temperature range: 170°F / 76°C with accuracy of +/- 2°F (1°C)
- ▶ Adhesive dishwasher safe and waterproof
- ▶ One time use
- ▶ 1 pack of 24 labels
- ▶ Pack Qty.: 12



8791 Dishwasher Thermometer ★

- ▶ Temperature range: 32°F/194°F and 0°/90°C
- ▶ Accuracy to ±1.8°F (±1°C)
- ▶ Accurately measures surface temperature of water
- ▶ FDA Food Code compliant for sanitization
- ▶ Designed for use in commercial dishwashers
- ▶ IP67 rated and NIST-Traceable Certificate included
- ▶ Pack Qty.: 6/36



214621J Dishwasher Test Thermometer

- ▶ Temperature range: 0°F / 220°F
- ▶ Mercury filled
- ▶ Tube sealed in open face armor case made of high temperature MINLON® plastic
- ▶ Maximum registering
- ▶ Individually packaged
- ▶ Pack Qty.: 1



THERMOMETERS

PH Meter and Accessories



6580 Digital PH Meter ★



- ▶ PH range: 0.00-14.00
- ▶ Temperature compensation range: 32°F to 122°F / 0°C to 50°C
- ▶ 3 point calibration: 4.01, 6.86, 9.18
- ▶ Calibration powder buffer solution (1 for each calibration point) included
- ▶ Durable hard plastic storage case included
- ▶ (4) LR44 batteries included
- ▶ Replacement probe tip with protective cap (model #6580RP) sold separately
- ▶ Pack Qty.: 1



6580RP PH Meter Replacement Probe ★

- ▶ Replacement probe tip with protective cap for model 6580
- ▶ Pack Qty.: 1



Taylor's pH meter tests the acidity or alkalinity of sushi rice, aquarium water, home brewed beer, cheese, soil, etc. and provides fast and accurate readings.



Dial Thermometers/Clocks



166 Patio Clock



- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Weather resistant and clock movement cover
- ▶ 12" diameter
- ▶ 1 - AA battery required (not included)
- ▶ Pack Qty.: 5



497J Humidiguide Dial Thermometer



- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ Humidity range: 30% to 90%
- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Large, easy-to-read face
- ▶ Includes a relative humidity scale
- ▶ 12" diameter
- ▶ Pack Qty.: 5



681T Extra Large Thermometer



- ▶ Temperature range: -60°F/120°F and -50°C/50°C
- ▶ Brushed silver metal bezel and silk screened graphics
- ▶ Large, easy-to-read face
- ▶ Weather resistant construction
- ▶ 18" diameter
- ▶ Pack Qty.: 3



1750 Atomic Clock/Thermometer



- ▶ Temperature range: 14°F/122°F and -10°C/50°C
- ▶ 9.25" atomic wall clock with indoor thermometer
- ▶ Extra large 3.25" LCD readout
- ▶ Atomic time and date with manual setting
- ▶ Calendar with month, date and day
- ▶ 1 - AA battery not included
- ▶ Pack Qty.: 4



1750BK Atomic Clock/Thermometer ★



- ▶ Temperature range: 14°F/122°F and -10°C/50°C
- ▶ 9.25" atomic wall clock with indoor thermometer
- ▶ Extra large 3.25" LCD readout
- ▶ Atomic time and date with manual setting
- ▶ Calendar with month, date and day
- ▶ 1 - AA battery not included
- ▶ Pack Qty.: 4



5265191 Digital Clock/Thermometer ★



- ▶ Temperature range: 14°F/140°F and -10°C/60°C
- ▶ Time displayed in either 12 or 24 hour format
- ▶ Calendar with month, date and day
- ▶ 2 - AA batteries included
- ▶ Pack Qty.: 4



THERMOMETERS

Dial Thermometers/Clocks (cont.)



6714 Indoor/Outdoor
13.25" Dial Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -60°F/120°F and -50°C/50°C
- ColorTrak design features bright and colorful numbers
- Framed in a glossy white bezel
- Weather resistant construction
- 13.25" diameter
- Pack Qty.: 4



6760 13.25" Big & Bold Clock

AA
BATTERY
NOT
INCLUDED

- Large, bold easy-to-read graphics
- Attractively framed in a white bezel
- Quartz clock movements for accurate time measurement
- Pack Qty.: 4



5630 6" Black and White
Bi-Metal Thermometer

°F
FAHRENHEIT

- Temperature range: -60°F/120°F
- Bold and vibrant silk-screened graphics
- °F scale only
- Easy-to-read numerals with clear bezel
- Wall bracket included for mounting
- Pack Qty.: 6



5636 6" Bi-Metal Thermometer
HACCP Cooler/Freezer

FOOD
SAFETY

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 0°F/80°F and -17°C/26°C
- Bold and vibrant silk-screened graphics
- Easy-to-read numerals with clear bezel
- Includes color temperature zones for proper food temperature storage
- Wall bracket included for mounting
- Pack Qty.: 6



5637 6" Bi-Metal Thermometer
HACCP Prep/Dry Storage

FOOD
SAFETY

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 0°F/100°F and -17°C/37°C
- Bold and vibrant silk-screened graphics
- Easy-to-read numerals with clear bezel
- Includes color temperature zones for proper food temperature storage
- Wall bracket included for mounting
- Pack Qty.: 6



5680 13.25" Thermometer
HACCP Cooler/Freezer

FOOD
SAFETY

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 0°F/80°F and -17°C/26°C
- Bold and vibrant silk-screened graphics
- Easy-to-read numerals with clear bezel
- Includes color temperature zones for proper food temperature storage
- Pack Qty.: 4



5681 13.25" Thermometer
HACCP Prep/Dry Storage

FOOD
SAFETY

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 0°F/100°F and -17°C/37°C
- Bold and vibrant silk-screened graphics
- Easy-to-read numerals with white bezel
- Includes color temperature zones for proper food temperature storage
- Pack Qty.: 4

Window/Wall Thermometers



1105J 12" x 2" Dry Storage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: 0°F/120°F and -30°C/50°C
- Easy-to-read in poor lighting
- Packed in individual carton
- Permacolor® filled solution with red color
- Pack Qty.: 12



1106J 12" x 2" Cold/Dry Storage Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -50°F/70°F and -40°C/20°C
- Easy-to-read in poor lighting
- Packed in individual carton
- Permacolor® filled solution with red color
- Pack Qty.: 12



5109 14½" x 3¼" Jumbo Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- Bright red reading tube with extra large colorful numbers
- Weather resistant and rustproof for quick, accurate temperature checks inside or outside
- Permacolor® filled solution with red color
- Pack Qty.: 6



5132N 8⅛" x 2½" Utility Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- White aluminum back with plastic end caps for secure mounting
- Large, easy-to-read face
- Weather resistant and rustproof
- Permacolor® filled solution with red color
- Pack Qty.: 6



5135N 8⅞" x 2¼" Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -60°F/120°F and -50°C/50°C
- White aluminum for indoor or outdoor use
- Large, easy-to-read face
- Weather resistant and rustproof
- Permacolor® filled solution with red color
- Pack Qty.: 6



5153 7⅝" x 2⅜" Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- Temperature range: -40°F/120°F and -40°C/50°C
- Curved look with large, easy-to-read numerals in bright blue & green
- Includes aluminum bracket for mounting
- Weather resistant and rustproof
- Permacolor® filled solution with red color
- Pack Qty.: 6

THERMOMETERS

Window/Wall Thermometers (cont.)



5154 7 5/8" x 2 3/8" Wall Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Curved look with large, easy-to-read numerals in bright red & blue
- ▶ Includes aluminum bracket for mounting
- ▶ Weather resistant and rustproof
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



5316N 8" x 2 1/2" Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ White aluminum back with large, easy-to-read numerals
- ▶ Rustproof bracket with adjustable design for multi-directional viewing
- ▶ Permacolor® filled solution with red color
- ▶ Pack Qty.: 6



5321N 3 1/2" Dial Stick-on Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F
- ▶ Read outside temperature from inside
- ▶ Easy to apply suction cup mount
- ▶ Weather resistant and rustproof
- ▶ Pack Qty.: 6



5327 9 3/4" x 1 1/4" Indoor/Outdoor Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/100°F and -40°C/40°C
- ▶ Read indoor and outdoor temperatures from inside
- ▶ Bold numerals in bright blue and red
- ▶ Permacolor® filled solution with red (indoor) and blue (outdoor) colors
- ▶ Pack Qty.: 6



5329 9 3/4" x 1 7/8" Indoor/Outdoor Thermometer

MULTIUSE
°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/40°C
- ▶ Humidity range: 10% to 80%
- ▶ Dial to read indoor humidity
- ▶ Large, easy-to-read face
- ▶ Permacolor® filled solution with red (indoor) and blue (outdoor) colors
- ▶ Pack Qty.: 4



5380N 1 3/4" Dial Stick-on Window Thermometer

°F/°C
FAHRENHEIT/
CELSIUS

- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Indoor/outdoor multi-purpose thermometer easily mounts with double-faced adhesive
- ▶ Weather resistant and rustproof
- ▶ Pack Qty.: 12



Window/Wall Thermometers (cont.)



5504 Indoor Humidiguide and Thermometer



- Temperature range: 20°F/100°F
- Humidity range: 10% to 80%
- Displays relative humidity and temperature
- 4" square case hangs or stands
- Pack Qty.: 6



5566 Digital Hygrometer with Thermometer



- Temperature range: -40°F/158°F and -40°C/70°C
- Humidity range: 10%-95%
- Large, easy-to-read LCD
- Wall mount or table top
- 300 days of continuous reading battery life
- 2 - AAA batteries not included
- Pack Qty.: 1/12



1745BK Indoor Thermometer with Hygrometer



- Indoor Temperature Range: 14°F/122°F and -10°C/50°C
- Humidity Range: 20-90%
- Read and record indoor temperature and humidity
- Clock function
- 2 - LR44 batteries included
- Pack Qty.: 6



THERMOMETERS

Max/Min Thermometers



1441E Digital Max/Min Thermometer

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -20°F/120°F and -29°C/50°C
- ▶ Records temperature readings for 7 days at a time
- ▶ Dual 3 meter probes for independent readings
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 4



1442 Critical Care Thermometer

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -40°F/221°F and -40°C/105°C
- ▶ For monitoring temperature critical materials
- ▶ Programmable high and low limit alarms
- ▶ 96 hour memory of high and low temperatures
- ▶ Records a history of alarm breaches included time and duration
- ▶ Dual 6' glycol-tolerant probes
- ▶ Password protected
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 1



5458 Max/Min Thermometer

°F
FAHRENHEIT



- ▶ Temperature range: -40°F/120°F
- ▶ Magnet reset, registers high and low reading from last setting
- ▶ Mercury filled
- ▶ Pack Qty.: 1



5459 Max/Min Thermometer

°C
CELSIUS



- ▶ Temperature range: -40°C/50°C
- ▶ Magnet reset, registers high and low reading from last setting
- ▶ Mercury filled
- ▶ Pack Qty.: 1



5460 Max/Min Thermometer

°F/°C
FAHRENHEIT/
CELSIUS



- ▶ Temperature range: -40°F/120°F and -40°C/50°C
- ▶ Push button reset and magnet reset
- ▶ Permacolor® filled
- ▶ Pack Qty.: 4



Pocket Case Thermometers



- ▶ Plastic case included
- ▶ Permacolor® filled



214121J

- ▶ Temperature range: -50°F/120°F
- ▶ Pack Qty.: 12

214241J

- ▶ Temperature range: -15°C/105°C
- ▶ Pack Qty.: 12

214201J

- ▶ Temperature range: 0°F/220°F
- ▶ Pack Qty.: 12

214321J

- ▶ Temperature range: -40°C/50°C
- ▶ Pack Qty.: 12



THERMOMETERS

Digital Pocket Test Thermometers - Comparison Guide



Product Specifications	3516FS	9840RB	9840PRN	9841RB	1476FDA	3519FDA
Temperature range:	-40°/302°F	-40°/302°F -40°/150°C	-40°/302°F -40°/150°C	-40°/500°F -40°/260°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C
Accuracy:	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F
Certifications:	(NSF)	(NSF)	(NSF)	(NSF)	(NSF)	(NSF)
Dimensions: • Stem Length • Probe Diameter	4.75" 3.8mm	4.69" 1.5mm	4.69" 1.5mm	4.69" 1.5mm	3.43" 1.6mm	3.19" 1.5mm
Features: • Waterproof • °F & °C Selectable • On/Off • Hold • Auto Shut Off • Protective Rubber Boot • 1.5mm Step Down robe • Calibration • Max/Min Memory	 ✓ ✓ 	 ✓ ✓ ✓ ✓ 	 ✓ ✓ ✓ ✓ 	 ✓ ✓ ✓ ✓ 	 ✓ ✓ ✓ ✓ 	 ✓ ✓ ✓ ✓
LCD Size:	0.3"	0.4"	0.4"	0.4"	0.6"	0.5"
Battery Type:	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)	LR44 (included)
Warranty:	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year

THERMOMETERS



9842FDA



9848EFDA



9877FDA



3519PRFDA



9878E



9878EPR

3519PRFDA	9842FDA	9848EFDA	9877FDA	9878E	9878EPR
-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/450°F -40°/232°C	-40°/500°F -40°/260°C	-40°/500°F -40°/260°C
+/- 2°F	+/- 2°F	+/- 2°F	+/- 2°F	+/- 1°F	+/- 1°F
					
3.19" 1.5mm	4.81" 1.5mm	3.00" 1.5mm	2.81" 1.5mm	5.11" 1.5mm	5.11" 1.5mm
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
		✓ (max)	✓	✓	✓
0.5"	0.5"	0.5"	0.3"	0.4"	0.4"
LR44 (included)	LR44 (included)	CR2032 (included)	CR1225 (included)	CR2032 (included)	CR2032 (included)
1 Year	1 Year	1 Year	1 Year	1 Year	1 Year

TIMERS

Mechanical



5830 Stainless Steel 60 Minute Timer

STAINLESS
STEEL
60:00
TIMER
RANGE

- ▶ Timer range: 60 minutes
- ▶ Stainless steel housing
- ▶ Rubberized turn knob and slip proof base
- ▶ Long ring
- ▶ Pack Qty.: 6



5831N 60 Minute Timer

60:00
TIMER
RANGE

- ▶ Timer range: 60 minutes
- ▶ Large easy to read numbers
- ▶ Long ring
- ▶ Pack Qty.: 6



5832 60 Minute Timer

60:00
TIMER
RANGE

- ▶ Timer range: 60 minutes
- ▶ Small compact size
- ▶ Long ring
- ▶ Pack Qty.: 6



Digital



5806 Digital Multi-Purpose Timer

99:59
TIMER RANGE

0.5"
DIGITAL DISPLAY

MAGNETIC

AAA
BATTERY INCLUDED

- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Small and compact design
- ▶ Counts up and counts down
- ▶ Clip/magnet/stand positioning
- ▶ Splash resistant
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5822 Memory Digital Timer

99:59
TIMER RANGE

0.8"
DIGITAL DISPLAY

MEMORY

AAA
BATTERY INCLUDED

- ▶ Counts up to 99 minutes, 59 seconds
- ▶ Recalls last timing event for easy programming
- ▶ 0.8" LCD readout
- ▶ Count up and countdown feature
- ▶ Clip/magnet/stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5828 Dual Event Digital Timer/Clock

MULTIUSE

VARIETY OF RINGS

23:59:59
TIMER RANGE

2 EVENTS SAME TIME

1.5"
DIGITAL DISPLAY

AAA
BATTERY INCLUDED

- ▶ Each timer counts up to 23 hours, 59 minutes, 59 seconds
- ▶ Times two events simultaneously
- ▶ 1.5" LCD readout
- ▶ Clock feature
- ▶ Clip/magnet/stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 6



5839N 4 Event Digital Timer

MULTIUSE

VARIETY OF RINGS

9:59:59
TIMER RANGE

4 EVENTS SAME TIME

AA
BATTERY INCLUDED

- ▶ Each timer counts up to 9 hours, 59 minutes, 59 seconds
- ▶ Times 4 events simultaneously
- ▶ 100 decibel alarms with a distinctive ring for each timer
- ▶ Adjustable volume control knob
- ▶ Lights flash when timer reaches zero
- ▶ Stand or wall mount
- ▶ 4 - AA batteries included
- ▶ Pack Qty.: 2



5862 Compact 4 Event Digital Timer

MULTIUSE

VARIETY OF RINGS

99:59
TIMER RANGE

4 EVENTS SAME TIME

LR44
BATTERY INCLUDED

- ▶ Each timer counts up to 99 minutes, 59 seconds
- ▶ Times 4 events simultaneously
- ▶ Extra large LCD readout
- ▶ 4 distinct beep tones
- ▶ Count up and down features
- ▶ 12/24 hour clock
- ▶ Self standing/magnetic mounting feature
- ▶ 4 - AA batteries included
- ▶ Pack Qty.: 6

TIMERS

Digital (cont.)



5863 Water & Impact Resistant Timer



- Times up to 24 hours, 59 minutes, 59 seconds
- Dust and water resistant
- IP65 rated
- Impact resistant up to 4 feet
- 4 level adjustable volume
- High temp LED readout
- Counts up and counts down with memory recall
- Backlight and clock features
- 2 - AAA batteries included
- Pack Qty.: 6



5896 Jumbo Readout Digital Timer



- Timer range: 99 minutes, 59 seconds
- Memory function to recall last timing event
- Extra loud alarm
- Magnet/stand positioning
- 1 - LR44 battery included
- Pack Qty.: 6



5816N Chef's Timer & Stopwatch



- Timer range: 99 minutes, 59 seconds
- Includes lanyard for convenience
- Counts up and counts down
- Magnet positioning
- 1 - LR44 battery included
- Pack Qty.: 3



5817FS Digital Continuous Ring Timer ★



- Timer range: 99 minutes, 59 seconds
- Continuous ring with no automatic shut off
- 95 decibels with volume control button
- Red LED light for alert
- Magnet/stand positioning
- 2-AAA batteries included
- Pack Qty.: 4



582721 Digital Timer



- Times up to 99 minutes, 59 seconds
- 0.7" LCD readout
- Clip/magnet/stand positioning
- 1 - AAA battery included
- Pack Qty.: 4



584721 Digital Timer



- Times up to 23 hours, 59 minutes, 59 seconds
- Memory and clock function
- Count up and down features
- Extra large LCD for easy readout
- Magnet or stand positioning
- 1 - AAA battery included
- Pack Qty.: 3

Digital (cont.)



5849 4 Event Timer with Whiteboard



- ▶ Each timer counts up to 24 hours, 59 minutes
- ▶ 1.1" LCD readout
- ▶ Times up to 4 events simultaneously
- ▶ Different tone for each event
- ▶ Convenient whiteboard plus dry-erase pen with eraser for notes
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 6



5873 Continuous Ring Digital Timer/Clock ★



- ▶ Timer range: 23 hours, 59 minutes, 59 seconds
- ▶ Super loud timer up to 95 decibels
- ▶ Timer continues to ring until the user turns it off
- ▶ Features a clock and count up/count down
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 4



5879 Flashing Light Timer ★



- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Get alerted with sound, light and/or vibration
- ▶ Position with magnet, stand or clip
- ▶ 2 - AAA batteries included
- ▶ Pack Qty.: 4



5261500 Dual Event Digital Timer ★



- ▶ Each timer counts up to 23 hours, 59 minutes, 59 seconds
- ▶ Times two events simultaneously
- ▶ Includes memory feature for each timer
- ▶ Clock feature
- ▶ Magnet and stand positioning
- ▶ 1 - AAA battery included
- ▶ Pack Qty.: 3



5842N21 Mini Timer ★



- ▶ Timer range: 99 minutes, 59 seconds
- ▶ Count up and countdown feature
- ▶ Slim, compact design
- ▶ Magnetic positioning
- ▶ 1 - LR1130 battery included
- ▶ Pack Qty.: 4



5282798 24 Hour Digital Timer ★



- ▶ Timer range: 23 hours, 59 minutes, 59 seconds
- ▶ Continuous ring with no automatic shut off
- ▶ Red LED light for alert
- ▶ 4 Volume settings
- ▶ Stand or wall mount
- ▶ 3 - AA batteries included
- ▶ Pack Qty.: 4

TIMERS

Digital Timers - Comparison Guide



Product Specifications	5806	5816N	5822	582721	5828	5842N21	5879	5896
Timer Range:	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	23 hours 59 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds	99 minutes 59 seconds
Digital Display:	0.5"	0.375"	0.8"	0.7"	1.5"	0.7"	0.5"	1.375"
Counts up and Counts Down:	X	X	X			X		
Memory:			X					X
Multiple Events:					2 Events			
Adjustable Volume:								
Decibel Level:	70 decibels	70 decibels	70 decibels	75 decibels	75 decibels	65 decibels	75 decibels	75 decibels
Clock Feature:					X			
Splash/Water Resistant:	X							
Flashing Lights/ Visual Alert:							X	
Magnet:	X	X	X	X	X	X	X	X
Clip:	X		X	X	X		X	
Stand:	X		X	X	X		X	X
Battery Type:	1 AAA (included)	1 LR44 (included)	1 AAA (included)	1 AAA (included)	1 AAA (included)	1 LR1130 (included)	2 AAA (included)	2 LR44 (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



5828

5849



5839N

5863



584721



5873



5862



5282798



5817FS	584721	5849	5873	5839N	5862	5863	5282798
99 minutes 59 seconds	23 hours 59 minutes 59 seconds	24 hours 59 minutes 59 seconds	23 hours 59 minutes 59 seconds	9 hours 59 minutes 59 seconds	99 minutes 59 seconds	24 hours 59 minutes 59 seconds	23 hours 59 minutes 59 seconds
0.7"	1.0"	1.1"	0.625"	1.0"	0.75"	1.0"	0.6"
	X		X		X	X	X
	X	X				X	
		4 Events		4 Events	4 Events		
X				X		X	X
95 decibels	70 decibels	70 decibels	95 decibels	100 decibels	70 decibels	up to 85 decibels	95 decibels
	X		X		X	X	
						X (IP65 Rated)	X (IP65 Rated)
X				X	X		X
X	X	X	X		X	X	
X	X	X		X	X	X	X
2 AAA (included)	1 AAA (included)	2 AAA (included)	2 AAA (included)	4 AA (included)	2 LR44 (included)	2 AAA (included)	3 AA (included)
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited

SCALES

Digital Scales



1020NFS Digital Kitchen Scale



- Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- Measures either dry or liquid ingredients
- Large 0.6" LCD readout
- Stainless steel platform on black base
- Add & weigh feature
- 2 - AAA batteries included
- Pack Qty.: 1



1020PRNFS Digital Kitchen Scale



- Dry Capacity: 11 lb x 0.1 oz/5 kg x 1 g
- Liquid Capacity: 175 fl. oz x 0.1 fl. oz/5000 ml x 1 ml
- Measures either dry or liquid ingredients
- Large 0.6" LCD readout
- Stainless steel platform on purple base
- Add & weigh feature
- For use in allergy programs
- 2 - AAA batteries included
- Pack Qty.: 1



3817R Compact Digital Kitchen Scale



- Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- Small size for easy storage and portability
- Auto-shut off & tare features
- Color in red
- 1 - CR2032 battery included
- Pack Qty.: 1/4

3817

- Available in White



1250BKT Compact Digital Kitchen Scale



- Capacity: 16 oz x 0.005 oz / 500 g x 0.01 g
- Ultra fine 0.005 oz / 0.01 g increments
- Stainless steel platform
- Weighing cover inverts for use as a tray
- 2 - AAA batteries included
- Pack Qty.: 1



3907 Large Platform High Capacity Kitchen Scale ★



- Capacity: 22 lb x 0.01 oz / 10000 g x 0.1 g
- Food-grade stainless steel platform is naturally antimicrobial
- Ultra-thin design for a high-capacity scale
- 1.1" LCD readout with reverse readout blue backlight
- Touch control buttons won't collect dust/food
- 3 - AAA batteries included
- Pack Qty.: 1



5282765 Digital Coffee Scale ★



- Capacity: 70.5 oz / 2 kg
- Timer range: 9 minutes, 59 seconds
- 4.1" x 4.1" platform size
- Tare function
- Auto-off feature
- Micro USB cord adapter (included)
- Pack Qty.: 1



5282002 High Capacity Waterproof Digital Scale ★



- Dry Capacity: 30 lb x 0.1 oz / 13600 g x 1 g
- Liquid Capacity: 477 fl.oz. x 0.1 fl.oz / 13,600 mL x 1 mL
- 10.71" x 8.93" platform size
- Durable tempered glass platform
- Tare and hold functions
- Auto-off feature
- IP 67 rated
- 3 - AAA batteries included
- Pack Qty.: 1



Digital Portion Control Scales



TE11FTP 11lb Digital Portion Control Scale ★

- ±0
TARE
 - 1.0"
DIGITAL DISPLAY
 - 11 LB
5 KG
CAPACITY
 - AAA
BATTERY INCLUDED
 - NSF
- Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
 - 5.25" x 5.25" removeable stainless steel platform
 - Tare and hold function
 - Auto-off and disable auto-off
 - AC adapter port included, adapter sold separately
 - 2 - AAA batteries included
 - Pack Qty.: 1



Full Size Digital Portion Control Scale

- ±0
TARE
 - 0.9"
DIGITAL DISPLAY
 - RECALIBRATE
 - 5 LB
2 KG
CAPACITY
 - AAA
BATTERY NOT INCLUDED
 - NSF
- 7.15" x 7.15" stainless steel platform
 - Extra large 0.9" LCD readout
 - Tare and hold function
 - Calibration feature
 - Auto-off and disable auto-off feature when powered by batteries
 - AC adapter included
 - 2 - AAA batteries not included

TE2FT

- Capacity: 2 lb x 0.1 oz / 1 kg x 1 g
- Pack Qty.: 1

TE11FT

- Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- Pack Qty.: 1

TE22FT

- Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
- Pack Qty.: 1



Compact Digital Portion Control Scale

- ±0
TARE
 - 0.9"
DIGITAL DISPLAY
 - RECALIBRATE
 - 5 LB
2 KG
CAPACITY
 - AAA
BATTERY NOT INCLUDED
 - NSF
- 5.38" x 5.38" stainless steel platform
 - Extra large 0.9" LCD readout
 - Tare and hold function
 - Calibration feature
 - Auto-off and disable auto-off feature when powered by batteries
 - AC adapter included
 - 2 - AAA batteries not included

TE10FT

- Capacity: 11 lb x 0.1 oz / 5 kg x 1 g
- Pack Qty.: 1

TE32FT

- Dry Capacity: 2 lb x 0.01 oz / 1 kg x 0.5 g
- Pack Qty.: 1



SCALES

Digital Portion Control Scales (cont.)



Digital Portion Control Scale with Oversized Platform

- ±0 TARE
- 1.0" DIGITAL DISPLAY
- AAA BATTERY NOT INCLUDED
- NSF
- 11.25" x 7.25" stainless steel removable, washable platform
- Tare and hold function
- Dual mode calibration feature
- Auto-off and disable auto-off features when powered by batteries
- AC adapter included
- 2 - AAA batteries not included

TE220S

- Capacity: 22 lb x 0.1 oz / 10 kg x 1 g
- 352 oz x 0.1 oz / 352 oz x 1/8 oz / 10,000 g x 1 g
- Pack Qty.: 1

TE330S

- Capacity: 33 lb x 0.1 oz / 15 kg x 1 g
- 528 oz x 0.1 oz / 528 oz x 1/8 oz / 15,000 g x 1 g
- Dual mode calibration feature
- Pack Qty.: 1

TE660S

- Capacity: 66 lb x 0.1 oz / 30 kg x 2 g
- 1056 oz x 0.1 oz / 1056 oz x 1/8 oz / 30,000 g x 2 g
- Dual mode calibration feature
- Pack Qty.: 1



TE10PZR 10lb Precision Pizza Scale ★

- ±0 TARE
- 1.0" DIGITAL DISPLAY
- BACKLIGHT
- 10 LB / 5 KG CAPACITY
- NSF
- Capacity: 10 lb x 0.05 oz / 5 kg x 1 g / 5000 g x 1 g
- 13.5" x 11.6" platform size
- 1" LCD readout with blue backlight
- Tare and hold function
- External tare switch
- Auto-off with low battery indicator
- Overload indicator
- Rechargeable battery and AC adapter included
- Pack Qty.: 1



TE50 Digital Portion Control Scale with Handle

- ±0 TARE
- 1.0" DIGITAL DISPLAY
- 10 LB / 5 KG CAPACITY
- AA BATTERY NOT INCLUDED
- NSF
- Capacity: 50 lb x 0.5 oz / 22 kg x 0.01 kg
- 13.5" x 11.5" stainless steel platform
- Built-in handle for easy transportation
- Tare and hold functions
- Stable weight indicator
- Large easy-to-read 1" LCD readout
- Disable auto-off feature when powered by batteries
- AC adapter included
- Recalibratable
- 4 - AA batteries not included
- Pack Qty.: 1



TE10R Digital Portion Control Scale

- ±0 TARE
- BACKLIGHT
- RECALIBRATE
- WEIGHS LIQUID
- AA BATTERY NOT INCLUDED
- NSF
- Capacity: 10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
- Removable 5" x 8" stainless steel platform
- Tare and hold function
- Auto-off and disable auto-off features when powered by batteries
- Rechargeable battery and AC adapter included
- Pack Qty.: 1



TE10T 10 lb Digital Portion Control Scale with Tower Readout

- ±0 TARE
- 1.0" DIGITAL DISPLAY
- 10 LB / 5 KG CAPACITY
- AA BATTERY NOT INCLUDED
- NSF
- Dry Capacity: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg
- Liquid Capacity: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
- 7" x 6.5" stainless steel platform
- Extra large 1.5" LCD readout with backlight
- Tare and hold function with auto-off feature and disable auto-off feature when powered by batteries
- Recalibratable
- Low battery indicator
- AC adapter included
- 4 - AA batteries not included
- Pack Qty.: 1

Digital Portion Control Scales (cont.)



TE21P 21 oz Precision Measurement Digital Scale

- ±0 TARE
- BACKLIGHT
- RECALIBRATE
- BATTERY NOT INCLUDED
- NSF
- Capacity: 21 oz x 0.01 oz / 0.0002 lb / 600 g x 0.1 g
- 5" x 5.75" removable stainless steel platform
- Large 1" LCD readout with blue backlight
- Tare and hold functions
- Counting feature for exact measurement
- Recalibratable
- Auto-off and disable auto-off feature when powered by batteries
- AC adapter included
- 4 - AA batteries not included
- Pack Qty.: 1



TE10CSW Waterproof Digital Portion Control Scale

- ±0 TARE
- BACKLIGHT
- RECALIBRATE
- WATER PROOF
- WEIGHS LIQUID
- NSF
- Dry Capacity: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g
- Liquid Capacity: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml
- 4.75" x 5.9" stainless steel platform
- Waterproof for easy cleaning
- Tare function
- Auto-off and disable auto-off features when powered by batteries
- Low battery and overload indicators
- Field recalibratable
- IP 65 rated
- AC adapter included
- 1 - 9 volt battery not included
- Pack Qty.: 1



Waterproof Digital Portion Control Scale

- ±0 TARE
- BACKLIGHT
- RECALIBRATE
- WATER PROOF
- WEIGHS LIQUID
- NSF
- 6.7" x 7" stainless steel platform and housing
- Waterproof for easy cleaning
- Large easy-to-read 1" LCD readout with backlight
- Tare and hold with high/low weigh features
- Field recalibratable
- IP 67 rated
- Rechargeable battery and AC adapter included

TE10SSW

- Dry Capacity: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz
- Liquid Capacity 160 oz x 0.005 oz / 160 oz x 1/8 oz / 5000 g x 1 g
- Pack Qty.: 1

TE20SSW ★

- Dry Capacity: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz
- Liquid Capacity: 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g
- Pack Qty.: 1



TE30WD Compact Digital Portion Control Scale with Wireless Display

- ±0 TARE
- DIGITAL DISPLAY
- RECALIBRATE
- CAPACITY
- NSF
- Capacity: 0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) / 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)
- Oversized 14" x 14" removable stainless steel platform
- Wireless display head
- Up to 3 channels for wireless transmission
- Touchless tare feature
- Disable auto-off feature when powered by batteries
- AC adapter included for both base and remote
- Recalibratable
- Base: 6 - AA batteries (not included)
- Remote: 4 - AA batteries (not included)
- Pack Qty.: 1



TE32WDAR Wireless Digital Scale ★

- ±0 TARE
- DIGITAL DISPLAY
- 3 CHANNEL DISPLAY
- AC ADAPTER
- NSF
- Capacity: 32 oz x 0.1 oz / 1 kg x 2 g
- 7" x 6.7" Stainless steel platform
- 3 Channel wireless display accommodates up to 3 scales simultaneously
- Tare and hold functions
- 32 oz Calibration weight included
- 2 - AC adapters included
- Pack Qty.: 1



SCALES

Digital Keg Scale - 5265117

Taylor's digital keg scale is a valuable tool to take the guesswork out of how much beer is actually in the keg with instant, accurate weight measurements. With a weight capacity of 440lbs, Taylor's keg scale can measure a variety of kegs from a Cornelius Keg to an Import Keg.



KEG SIZE	HEIGHT	WIDTH (Diameter)	WEIGHT (Full)	WEIGHT (Empty)
Cornelius Keg	23"	9"	55 lbs.	9 lbs.
1/6 Barrel	23 3/8"	9 1/4"	58 lbs.	16.5 lbs.
1/4 Barrel or Pony Keg	13 7/8"	16 1/8"	87 lbs.	22 lbs.
1/2 Barrel	23 3/8"	16 1/8"	160 lbs.	30 lbs.
Import Keg	20.94"	16.06"	130 lbs.	28 lbs.

Capacity	440lb x 0.2lb / 200kg x 0.1kg 440lb x 5oz
Units of Measurement	LB, KG, LB/OZ Easily converts units of measurement by pressing the UNIT button on the front of the control panel
Stainless Steel Platform Size	16" Diameter
Platform Finish	Textured
Control Panel	Aluminum & ABS Plastic
Features	
Tare	X
Hold	X
Auto-Off	X
Disable Auto-Off	X
Waterproof Rating	IPX5 Rating
Calibration Instructions	Included
Operating Temperatures	41°F to 95°F (5°C to 35°C)
Operating Humidity	35 to 85% RH
AC Adapter	Included
Battery Type	4 AA (Not Included)
Pack Qty.	1





KEG SIZE	CAPACITY	How Many Beers in a Keg
Cornelius Keg	5 gallons, 18 liters 640 ounces	40 - 16oz. Beers 53 - 12oz. Beers
1/6 Barrel	5.16 gallons, 20 liters 661 ounces	41 - 16oz. Beers 55 - 12oz. Beers
1/4 Barrel or Pony Keg	7.75 gallons, 30 liters 992 ounces	62 - 16oz. Beers 82 - 12oz. Beers
1/2 Barrel	15.5 gallons, 58.7 liters 1,984 ounces	124 - 16oz. Beers 165 - 12oz. Beers
Import Keg	13.2 gallons, 50 liters 1,690 ounces	105 - 16oz. Beers 40 - 12oz. Beers

MAXIMIZE PROFITS

Stop pouring profits down the drain. Taylor's keg scale can assist with calculating liquor costs or use in conjunction with a more advanced liquor inventory system. Using a keg scale can hold bartenders accountable for selling every pour, wasting beer by pouring it out, handing out free beers, etc.

INVENTORY CONTROL

Weighing the keg is more accurate in determining fullness. Management can calculate the amount of beer poured not sold in comparison to draft beer sales in the POS system or register.

INVENTORY VERIFICATION

Weighing kegs allows management to determine the exact amount of beer they are receiving and effectively track draft beer usage.

EASY-TO-USE AND VERSATILE

Taylor's keg scale features a slim 1.5" profile which allows heavy kegs to easily slide on for measurement readings, no heavy lifting required. This can also be used as a receiving scale for food boxes to ensure what is delivered matches the invoice price.



Analog Portion Control Scales



Analog Portion Control Scale



- ▶ Internal stop mechanism
- ▶ Angled dial design

TP16

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4" x 4.5" stainless steel NSF food grade platform
- ▶ Pack Qty.: 4

TP16FF

- ▶ Capacity: 16 oz x 1/4 oz
- ▶ 4.5" x 2.5" stainless steel NSF food grade platform
- ▶ Includes fixed french fry / taco holder
- ▶ Pack Qty.: 4

TP32

- ▶ Capacity: 32 oz x 1/4 oz
- ▶ 4.5" x 4" stainless steel NSF food grade platform
- ▶ Pack Qty.: 4



Analog Portion Control Scales (cont.)



Analog Portion Control Scale



- ▶ Rugged stainless steel construction with angled dial design
- ▶ Protective shatterproof lens and removable 6" x 5.25" platform

TS5

- ▶ Rotating dial
- ▶ Capacity: 5 lb x 1/2 oz / 2.2 kg x 20 g
- ▶ Pack Qty.: 4

TS32F

- ▶ Fixed dial
- ▶ Capacity: 32 oz x 1/4 oz
- ▶ Pack Qty.: 4

TS10 ★

- ▶ Rotating dial
- ▶ Capacity: 11 lb x 1 oz / 5 kg x 50 g
- ▶ Pack Qty.: 4

TS25KL

- ▶ Rotating dial
- ▶ Capacity: 25 lb x 2 oz / 11 kg x 50 g
- ▶ Pack Qty.: 4

TS32

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Pack Qty.: 4

TS32D

- ▶ Rotating dial
- ▶ Capacity: 32 oz x 1/4 oz / 900 g x 5 g
- ▶ Adjustable dashpot knob
- ▶ Pack Qty.: 4

TS50

- ▶ Rotating dial
- ▶ Capacity: 50 lb x 4 oz / 22 kg x 113 g
- ▶ Pack Qty.: 4



SCALES

Heavy Duty Mechanical Scales



**Analog Portion Control Scale
with Rotating Dial**

THD32

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Pack Qty.: 4

THD32D

- ▶ Capacity: 32 oz x 1/8 oz / 900 g x 2 g
- ▶ Adjustable dashpot with knob for tare feature
- ▶ Pack Qty.: 4

THD50

- ▶ Capacity: 50 lb x 2 oz / 22 kg x 100 g
- ▶ Pack Qty.: 4



- ▶ 9"x 9" stainless steel NSF food grade platform with internal stop mechanism
- ▶ Features corrosion-resistant weighing mechanism
- ▶ Dual measurement
- ▶ Shatterproof lens with bold dial



Receiving Scales



TE150 Receiving Scale with Stainless Steel Platform



- Capacity: 150 lb x 1/4 lb / 68 kg x 1 g
- 12.25" x 12" stainless steel platform with 6' coiled cord
- Large easy-to-read 1" LCD readout
- Tare and hold function
- Disable auto-off feature when powered by batteries
- AC adapter included
- 6 - AA batteries not included
- Pack Qty.: 1



TE250 Receiving Scale with Stainless Steel Platform




- Capacity: 250 lb x 0.2 lb / 120 kg x 100 g
- 13.5" x 11.5" stainless steel platform
- Built-in handle for easy transportation
- Tare and hold functions
- Stable weight indicator
- Large easy-to-read 1" LCD readout
- Disable auto-off feature when powered by batteries
- AC adapter included
- Pack Qty.: 1



TE220FT Digital Receiving Scale



- Capacity: 220 lb x 2 oz / 100 kg x 0.05 kg
- Stainless steel slim platform size: 10.94" x 11.45"
- Large 0.6" LCD readout
- Add and weigh tare feature
- Auto-off and disable auto-off
- AC adapter included
- 1 - 9 volt battery included
- Pack Qty.: 1



TE400 Receiving Scale with Steel Tread Plate Platform



- Capacity: 400 lb x 1/2 lb / 181 kg x 0.2 kg
- 12.25" x 12" steel tread plate platform with 6' coiled cord
- Large easy-to-read 1" LCD readout
- Tare and hold function
- Disable auto-off feature when powered by batteries
- AC adapter included
- 6 - AA batteries not included
- Pack Qty.: 1



TR250 Receiving Scale with Stainless Steel Platform



- Capacity: 250 lb x 1 lb
- Heavy duty powder coated metal with press lock feature
- Pack Qty.: 2



SCALE COMPARISON GUIDE



Product Specifications	1020NFS 1020PRNFS	TE10FT TE32FT	TE2FT - TE11FT TE22FT	TE220S - TE330S TE660S	TE10R
Capacity:	Dry: 11 lb x 0.1 oz / 5 kg x 1 g Liquid: 175 fl. oz x 0.1 fl. oz / 5000 ml x 1 ml	TE10FT: 11 lb x 0.1 oz / 5 kg x 1 g TE32FT: 2 lb x 0.01 oz / 1 kg x 0.5 g	TE2FT: 2 lb x 0.1 oz / 1 kg x 1 g TE11FT: 11 lb x 0.1 oz / 5 kg x 1 g TE22FT: 22 lb x 0.1 oz / 10 kg x 1 g	TE220S: 22 lb x 0.1 oz / 10 kg x 1 g TE330S: 33 lb x 0.1 oz / 15 kg x 1 g TE660S: 66 lb x 0.1 oz / 30 kg x 2 g	10 lb x 0.1 oz / 1/8 oz, 1/4 oz / 2 g, 5 g
Certifications:					
Stainless Steel Platform Size:	6" (removable)	5.38"x5.38" (removable)	7.15"x7.15" (removable)	11.25"x7.25" (removable)	5"x8" (removable)
Scale Dimensions:	6.5"x8"x1.25"	7.4"x10.5"x2.5"	8.5"x12.0"x2.5"	12.5"x12.5"x2.5"	8.25"x10.0"x2.75"
Features:					
• Measures Dry & Liquid	✓				
• Tare	✓	✓	✓	✓	✓
• Hold	✓	✓	✓	✓	✓
• Auto-Off	✓	✓	✓	✓	✓
• Disable Auto-Off		✓	✓	✓	✓
• Low Battery Indicator		✓	✓	✓	✓
• Over/Under					✓
• Waterproof Rating					
• Field Recalibratable	✓	✓	✓	✓	✓
• A/C Adapter Included		✓	✓	✓	✓
Housing Material:	ABS	ABS	ABS	ABS	ABS
Battery Type:	2 AA (included)	2 AAA	2 AAA	2 AAA	Rechargeable (included)
Warranty:	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited

SCALE COMPARISON GUIDE



TE10SSW



TE30WD



TE50



TE20SSW



TE32WDAR



TE10T	TE10CSW	TE10SSW TE20SSW	TE30WD	TE32WDAR	TE50
Dry: 10 lb x 0.002 lb/160 oz x 0.05 oz / 5000 g x 0.001 kg Liquid: 169 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	Dry: 10 lb x 0.002 lb / 10 lb x 0.005 oz / 160 oz x 0.05 oz / 5000 g x 1 g Liquid: 160 fl. oz x 0.05 fl. oz / 5000 ml x 1 ml	TE10SSW: 10 lb x 0.005 lb / 10 lb x 0.1 oz / 10 lb x 1/8 oz 160 oz x 0.005 oz / 160 oz x 1/8 oz / 5000 g x 1 g TE20SSW: 20 lb x 0.005 lb / 20 lb x 0.05 oz / 20 lb x 1/8 oz 320 oz x 0.05 oz / 320 oz x 1/8 oz / 9000 g x 1 g	0-10 lb x 0.05 oz / 0-5 kg x 0.002 kg (2g) 10-30 lb x 0.1 oz / 5-15 kg x 0.005 kg (5 g)	32 oz x 0.1 oz / 1 kg x 2 g	50 lb x 0.5 oz / 22 kg x 0.01 kg
7.0"x6.5" (removable)	4.75"x5.9" (removable)	6.7"x7.0" (removable)	14"x14" (removable)	7"x6.7"	13.5"x11.5" (removable)
7"x7.75"x9.5"	9.61"x7.40"x2.24"	6.0"x6.75"x1.875"	15.25"x15.10"x3.00"	7"x6.7"x2"	17.25"x14.50"x2.75"
✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ (touchless tare) ✓ ✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓
✓ ✓	IP 65 ✓ ✓	IP 67 ✓ ✓	✓ ✓ (1 for base and 1 for remote)	✓ (1 for base and 1 for remote)	✓ ✓
ABS	ABS	Stainless Steel	Stainless Steel	Stainless Steel	ABS
4 AA	9 Volt	Rechargeable (included)	Base: 6 AA Remote: 4 AA	None	4 AA
1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited



The Taylor Advantage

Best Quality:

Precision measurement has been the exclusive focus of our business for 170 years. Our ability to fulfill the professional market's exacting standards for accuracy, durability, and design is built on a legacy of technical expertise, quality materials and a constant awareness of changing industry needs.

Best Selection:

The diversity of our product line reflects an ongoing commitment to provide the best solutions to the food service and professional community at every level, with ever-expanding choices in specialized temperature and weight measurement instruments that promote food safety, enhanced productivity and user convenience.

5248350 12 INCH SLICER KNIFE WITH KULLENS - BLACK



PACK QTY.
3

5248361 12 INCH SLICER KNIFE WITH KULLENS - WHITE



PACK QTY.
3

5248362 10 INCH BUTCHER KNIFE - BLACK



PACK QTY.
3

5248363 10 INCH BUTCHER KNIFE - WHITE



PACK QTY.
3

5248364 10 INCH CHEF KNIFE - BLACK



PACK QTY.
3

5248365 10 INCH CHEF KNIFE - WHITE



PACK QTY.
3



- ▶ High-carbon German stainless steel blades
- ▶ Nylon/silicone slip-resistant handles
- ▶ Dishwasher Safe
- ▶ Lifetime limited warranty
- ▶ NSF Approved

5248366 10 INCH SLICER KNIFE - BLACK



PACK QTY.
3

5248367 10 INCH SLICER KNIFE - WHITE



PACK QTY.
3

5248368 10 INCH OFFSET BREAD KNIFE - BLACK



PACK QTY.
3

5248369 10 INCH OFFSET BREAD KNIFE - WHITE



PACK QTY.
3

5248370 8 INCH CHEF KNIFE - BLACK



PACK QTY.
3

5248371 8 INCH CHEF KNIFE - WHITE



PACK QTY.
3

5248372 8 INCH BREAD KNIFE - BLACK



PACK QTY.
3

5248373 8 INCH BREAD KNIFE - WHITE



PACK QTY.
3

5248374 7 INCH SANTOKU KNIFE - BLACK



PACK QTY.
3

5248375 7 INCH SANTOKU KNIFE - WHITE



PACK QTY.
3

CUTLERY



- ▶ High-carbon German stainless steel blades
- ▶ Nylon/silicone slip-resistant handles
- ▶ Dishwasher Safe
- ▶ Lifetime limited warranty
- ▶ NSF Approved

5248376 6 INCH CLEAVER KNIFE - BLACK



PACK QTY.
3

5248377 6 INCH CLEAVER KNIFE - WHITE



PACK QTY.
3

5248378 6 INCH FILLET KNIFE - BLACK



PACK QTY.
3

5248379 6 INCH FILLET KNIFE - WHITE



PACK QTY.
3

5248380 6 INCH BONING KNIFE - BLACK



PACK QTY.
3

5248381 6 INCH BONING KNIFE - WHITE



PACK QTY.
3

5248382 5.5 INCH SERRATED UTILITY KNIFE - BLACK



PACK QTY.
3

5248383 5.5 INCH SERRATED UTILITY KNIFE - WHITE



PACK QTY.
3

5248384 3.5 INCH PARING KNIFE - BLACK



PACK QTY.
3

5248385 3.5 INCH PARING KNIFE - WHITE



PACK QTY.
3

5248386 3.5 INCH PARING KNIFE WITH SMALL HANDLE - BLACK



PACK QTY.

3

5248387 3.5 INCH PARING KNIFE WITH SMALL HANDLE - WHITE



PACK QTY.

3

5252670 ALL PURPOSE SHEARS - BLACK



PACK QTY.

3

5265072 10 INCH DIAMOND SHARPENING STEEL - BLACK



PACK QTY.

3

5271192 3PC KNIFE SET - BLACK

Includes: 8 inch chef knife, 6 inch boning knife, 3.25 inch large handle paring knife



PACK QTY.

1

5274195 3PC KNIFE SET - WHITE

Includes: 8 inch chef knife, 6 inch boning knife, 3.25 inch large handle paring knife




PACK QTY.

1

FRONT

BACK




5254237 2-SIDED FLOOR DISPLAY

- The perfect display for any retail setting
- Display only, product not included

PACK QTY.

1



KITCHEN TOOLS & GADGETS

chef'n Fruit & Veg Prep



COLOR
CHERRY

102-138-005 STEM GEM® STRAWBERRY HULLER

- ▶ Push green button, insert, twist and remove stem
- ▶ Stainless steel construction
- ▶ Pack Qty.: 6



COLOR
CHERRY

102-241-005 QUICKPIT® CHERRY PITTEER

- ▶ Removes pits from cherries and olives
- ▶ Pack Qty.: 6



COLOR
BANANA

102-205-017 BANANZA® BANANA SLICER

- ▶ Perfectly slices bananas in seconds
- ▶ Stainless steel blades
- ▶ Pack Qty.: 6



COLOR
WASABI

102-734-062 LOOSELEAF™ KALE & GREENS STRIPPER

- ▶ Strip leaves from stems in seconds
- ▶ Works on everything from kale to thyme
- ▶ Pack Qty.: 6



COLOR
ROMA

102-575-205 HULLSTER™ TOMATO CORER

- ▶ Core tomatoes quickly and easily
- ▶ Release button and twist to remove core
- ▶ Pack Qty.: 6



102-143-005 STRAWBERRY SLICESTER™

- ▶ Hand-held strawberry slicer
- ▶ Great for use over a bowl or plate
- ▶ Stainless steel blades
- ▶ Pack Qty.: 6



COLOR
LEMON

102-159-017 FRESHFORCE™ CITRUS JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
ARUGULA

102-415-011 FRESHFORCE™ LIME JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 6



COLOR
APRICOT

102-408-008 FRESHFORCE™ ORANGE JUICER

- ▶ Dual gear mechanism
- ▶ Strains all pulp and seeds
- ▶ Produces up to 20% more juice than conventional citrus juicers
- ▶ Constructed of durable strength GF Nylon
- ▶ Pack Qty.: 4

Fruit & Veg Prep (cont.)



**102-157-001 FRESHFORCE™
POTATO RICER**

- Makes perfect mashed potatoes
- Dual gear mechanism
- Removable stainless steel basket
- Constructed of durable strength GF Nylon
- Pack Qty.: 4



**102-238-001 FRESHFORCE™
GARLIC PRESS**

- Dual-gear mechanism
- Swing-out stainless steel plate for easy cleaning
- Constructed of durable strength GF Nylon
- Pack Qty.: 6



102-918-268 SLEEKSTOR PINCH N POUR

- Set of three: 1, 2 and 4 cup capacities
- Nests for convenient storage
- Heat resistant silicone, microwave safe, oven safe up to 400°F
- Top rack dishwasher safe
- Pack Qty.: 6



**5273475 FRESHFORCE™
HANDHELD SLICER ★**

- Quickly and easily slices soft foods such as mushrooms, strawberries, kiwis and hardboiled eggs
- Two serrated blades keep veggie or fruit in place
- Slice width: 1/4" (6.4mm)
- Hand wash recommended
- Pack Qty.: 6



KITCHEN TOOLS & GADGETS

SWING-A-WAY® Commercial Openers - AVAILABLE Q1 2022



407FS PORTABLE CAN OPENER



- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Assorted inner pack includes: 2 white, 2 red, 2 black
- ▶ Pack Qty.: 6



407BKFS PORTABLE CAN OPENER



- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



407RDFS PORTABLE CAN OPENER



- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



407WHFS PORTABLE CAN OPENER



- ▶ Durable and strong with an all-steel construction
- ▶ Ergonomic handles with soft-cushion grips that fit any-sized hand and ensure comfortable handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



KITCHEN TOOLS & GADGETS



6080FS EXTRA EASY CAN OPENER



- ▶ Constructed of durable steel that withstands frequent use
- ▶ Long crank handle that makes it easier to open cans by providing a more secure grip; knob also folds down for easy storage
- ▶ Extra-long, soft-cushion grip handles for maximum comfort and control while handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



6090FS CRANK TURN HANDLE CAN OPENER



- ▶ Constructed of durable steel that withstands frequent use
- ▶ Long crank handle makes it easier to open cans by providing a more secure grip
- ▶ Extra-long, soft-cushion grip handles for maximum comfort and control while handling
- ▶ Razor-sharp, high-carbon, skip-proof cutting wheel smoothly and easily cuts through any can
- ▶ Includes a built-in bottle opener on the side for quickly and easily removing bottle caps
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



609WHFS WALL CAN OPENER MAGNETIC



- ▶ Cuts cans quickly and easily
- ▶ Mounts to the wall
- ▶ Features a magnet for safe lid removal
- ▶ Durable metal construction
- ▶ Hand wash and dry immediately
- ▶ Pack Qty.: 6



WINE & BAR ACCESSORIES

Manual Corkscrews



W5614 2-STEP WAITERS' CORKSCREW

- ▶ 2-step operation removes all corks
- ▶ Built-in foil cutter
- ▶ Pack Qty.: 12



W5624 WALNUT ZIPPITY TWO-STEP

- ▶ Non-stick spiral easily turns into cork
- ▶ Built-in foil cutter
- ▶ Pack Qty.: 12



W6004N ORIGINAL RABBIT

- ▶ Pulls & ejects cork in seconds
- ▶ Foil cutter and extra spiral included
- ▶ Pack Qty.: 4



R1-06301 VERTICAL RABBIT

- ▶ Pulls a cork in 3 seconds flat
- ▶ Automatically ejects cork
- ▶ Works on all bottles and all cork types
- ▶ 10 year warranty
- ▶ Pack Qty.: 4



W4030FS POCKET CORKSCREW

- ▶ Compact and lightweight
- ▶ Two piece construction with safety case easily converts into corkscrew handle
- ▶ The 5 turn work allows for smooth cork removal
- ▶ Pack Qty.: 12



Preservers / Other Accessories



W6119N WINE BOTTLE STOPPERS | 2 PACK

- ▶ 12 pieces - In sets of 2
- ▶ Multi-colored wine stoppers
- ▶ Pack Qty.: 12



W6115 WINE/CHAMPAGNE SEALER

- ▶ 12 pieces - Easy grip velvet finish
- ▶ Seals wine air-tight
- ▶ Pack Qty.: 12



W9955 MOJITO MUDDLER

- ▶ Releases essence of mint leaves
- ▶ Polished, corrosion-free stainless steel
- ▶ Pack Qty.: 6



W6128 STAINLESS STEEL WINE POURERS/STOPPERS

- ▶ Set of 2 - Stainless accents
- ▶ Flip to open & pour wine - Flip to close and seal wine bottle
- ▶ Pack Qty.: 6



W6127N SUPER AERATOR

- ▶ Stainless accents
- ▶ Aerates red wine to improve flavor and bouquet
- ▶ Pack Qty.: 8



W6113 FOIL CUTTER

- ▶ 12 pieces - Easy grip velvet finish
- ▶ Removes foil quickly and neatly
- ▶ Pack Qty.: 12



R3-15610FS WINE PRESERVER WITH STOPPER

- ▶ Removes air to preserve wine
- ▶ Pump handle for easy operation
- ▶ Black ABS construction with stainless accents
- ▶ Includes 1 stopper
- ▶ Pack Qty.: 12



5262463 WINE BOTTLE STOPPERS

- ▶ In set of 10-fits all bottle sizes
- ▶ Seals wine air-tight
- ▶ Reusable
- ▶ Pack Qty.: 6





916WHSVLKR Professional Large Dial Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ Extra large dial for easy reading
- ▶ Easy to clean, durable vinyl platform
- ▶ Large, stable platform
- ▶ Pack Qty.: 1



7029W Digital Scale

- ▶ Capacity: 330 lb/150 kg
- ▶ Easy to read 3" display
- ▶ Slim 1.5" profile
- ▶ Textured finish platform with silver accents
- ▶ Item #702940133
- ▶ Pack Qty.: 3



7604 Glass Digital Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ Large 3.21" x 1.56" display
- ▶ Accu-Glo™ blue backlight
- ▶ Large 12.2" x 12.2" durable, tempered glass platform
- ▶ Brushed stainless steel accents
- ▶ Item #76044192
- ▶ Pack Qty.: 2



5255149 Glass Digital Scale ★

- ▶ 12.4" x 12.4" durable tempered glass platform with frosted accent in a silver metallic finish
- ▶ Large 3.5" x 2.2" readout with blue backlight
- ▶ Extra-high 440 lb capacity in 0.2 lb increments (lb/kg/st)
- ▶ 2 user weight tracking function
- ▶ "STEP-ON" Technology
- ▶ Pack Qty.: 2





7506 Digital Glass Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ Easy to read 3.2" digits
- ▶ High-tempered glass platform
- ▶ Chrome accents
- ▶ Item #75064192
- ▶ Pack Qty.: 2



7562 Digital Glass Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ LCD readout with reversed red digits
- ▶ Black tempered glass platform with brushed stainless steel accents
- ▶ Item #75624072
- ▶ Pack Qty.: 2



7528W Digital Glass Scale ★

- ▶ Capacity: 440 lb/200 kg
- ▶ Bright white finish with mirror oil paint accent
- ▶ Extra large 12.25" x 13.5" tempered glass platform
- ▶ 3.2" x 2" readout with blue backlight
- ▶ Item #752840133
- ▶ Pack Qty.: 3



7619 Digital Scale

- ▶ Capacity: 400 lb/180 kg
- ▶ Sure-Foot™ slip-resistant mat
- ▶ 11.8" x 11.8" tempered glass platform
- ▶ 3.1" x 1.4" readout with red digits
- ▶ Item #761940732
- ▶ Pack Qty.: 2



REPLACEMENT PARTS & ACCESSORIES

Replacement Parts for Model #9405/9400

9400BG	Replacement battery gasket for 9405
9405BC	Replacement battery cover for 9405-9400
9405RH	Replacement handle for 9405

Miscellaneous Parts and Supplies

97S35J	Wick for 5522, 5523 hygrometers
TEADPT2	220V adapter for models: TE150, TE400, TE21P
TEADPT3	120V adapter for model: TE10R, TE10T, TE150, TE400, TE21P, TE50, TE10PZR
TEADPT3L	90° angle adapter, 120V adapter for model: TE10R, TE10T, TE150, TE400, TE21P, TE50, TE10PZR, TE32WDAR
TEADPT5	120V adapter for models: TE10C, TE10CSW, TE32C
TEADPT7	220V adapter for model: TE10R, TE10T
TEADPT11FT	120V adapter for TE10SSW, TE20SSW
TEADPT12	120V adapter for TE10FT, TE11FT, TE22FT, TE220S, TE32FT, TE330S, TE660S, TE11FTP
TEADPT12L	120V adapter for TE10FT, TE11FT, TE22FT, TE220S, TE32FT, TE330S, TE660S, TE11FTP
TEADPT13FT	90° angle adapter for TE10FT, TE11FT, TE22FT, TE220S, TE32FT, TE330S, TE660S, TE11FTP
TERBAT	Replacement battery for TE10R
TERBAT10SSWFT	Replacement battery for TE10SSW, TE20SSW
TERTS10PZR	External tare switch for TE10PZR
TERBAT10PZR	Rechargeable battery for TE10PZR
5265264	Stainless platform with plastic sub-platform for model TE11FTP
5265910	Wireless meter head for TE30WD
TE32WD-ARDH	Replacement wireless Display for TE32WDAR
TE32WD-ARSB	Replacement stainless steel platform cover
TE32WD-ARSP	Replacement scale base with stainless steel platform cover

Terms & Conditions

1. Pricing - Please contact your sales representative for pricing.
2. Minimum Order - Product orders under \$100 net will be charged a \$30 processing fee per order.
3. Freight - All product is shipped FOB Rialto, CA. Routing at vendor discretion.
4. Terms - Net 30 days. Interest of 1 1/2% per month will be assessed on outstanding balances past agreed account terms.
5. Standard Packaging - Product must be ordered in minimum quantities of shelf packs only.
6. Lead Time - Taylor requires up to 10 working days to ship orders from the day the order is received via phone, mail, fax or EDI at Customer Service.
7. Back Orders - Back orders will be shipped as soon as possible after prior authorization from customer.
8. Returns - A "Returned Goods Authorization" (RGA) must be obtained from Taylor before a return for any reason will be accepted. Shipments without an RGA will be refused. Contact Returns Department at: ra@filamentbrands.com.
9. EDI - Taylor is fully prepared to receive your orders via EDI. For information about Taylor's EDI capabilities, please contact Customer Service at edirequests@filamentbrands.com.
10. Claims - Taylor is not responsible for damage, loss or pilferage in transit. Goods are carefully packed to prevent damage. If damage or loss is found on receipt of goods, notify Taylor at foodservice@filamentbrands.com within 5 days of receipt. Failure to notify Taylor immediately of such issues could result in the denial of any recompense requested.

Due to continuous product improvements, pictures in catalog may differ slightly from the actual product.

Adapters



TEADPT3L

TEADPT3



Model	Description	Page
Thermometers		
166	Patio Clock.....	23
681T	Extra Large Thermometer.....	23
1105J	Dry Storage Thermometer.....	25
1106J	Cold/Dry Storage Thermometer.....	25
1441E	Digital Max/Min Thermometer.....	28
1442	Critical Care Thermometer.....	28
1443	Digital Refrigerator/Freezer Thermometer.....	16
1445	Safety Zone Fridge/Freezer Digital Thermometer.....	16
1470FS	Digital Thermometer and Timer.....	13
1470FSRP	Replacement Probe for Model 1470FS.....	13
1476FDA	Compact Folding Thermometer.....	9, 30
1745BK	Digital Indoor Thermometer with Hygrometer.....	27
1750	Atomic Clock/Thermometer.....	23
1750BK	Atomic Clock/Thermometer.....	23
5265191	Digital Clock/Thermometer.....	23
214121J	Pocket Thermometer in Plastic Case.....	29
214201J	Pocket Thermometer in Plastic Case.....	29
214241J	Pocket Thermometer in Plastic Case.....	29
214321J	Pocket Thermometer in Plastic Case.....	29
214621J	Dishwasher Test Thermometer.....	21
3503FS	Refrigerator/Freezer Thermometer.....	16
3504	Meat Dial Thermometer.....	12
3505	Candy/Deep Fry Thermometer.....	13
3506FS	Oven Dial Thermometer.....	15
3507FS	Refrigerator/Freezer Thermometer.....	16
3509FS	Refrigerator/Freezer Thermometer.....	17
3512FS	Instant Read Thermometer.....	4
3516FS	Digital Instant Read Thermometer.....	9, 30
3517	Instant Read Thermometer.....	4
3518N	Digital Cooking Thermometer.....	13
3519FDA	Waterproof Digital Instant Read Thermometer with Step Down Probe.....	9, 31
3519PRFDA	Waterproof Digital Instant Read Thermometer with Step Down Probe.....	10, 31
3522FS	Deep Fry Thermometer.....	13
3621N	1" Standard Grade Instant Read Thermometer.....	4
497J	Humidiguide Dial Thermometer.....	23
5109	Jumbo Wall Thermometer.....	25
5132N	Utility Wall Thermometer.....	25
5135N	Wall Thermometer.....	25
5153	Window Thermometer.....	25
5154	Wall Thermometer.....	26
5316N	Window Thermometer.....	26
5321N	3 1/2" Dial Stick-On Window Thermometer.....	26
5327	Indoor/Outdoor Thermometer.....	26
5329	Indoor/Outdoor Thermometer.....	26
5380N	1 3/4" Dial Stick-On Window Thermometer.....	26
5416J	Cup Case Thermometer.....	20
5458	Max/Min Thermometer.....	28
5459	Max/Min Thermometer.....	28
5460	Max/Min Thermometer.....	28
5504	Indoor Humidiguide and Thermometer.....	27
5566	Digital Hygrometer with Thermometer.....	27
5630	6" Black and White Bi-metal Thermometer.....	24
5636	6" Bi-Metal Thermometer-HACCP Cooler/Freezer.....	24
5637	6" Bi-Metal Thermometer-HACCP Prep/Dry Storage.....	24
5680	13.25" Thermometer-HACCP Cooler/Freezer.....	24
5681	13.25" Thermometer-HACCP Prep/Dry Storage.....	24
5911N	Candy/Deep Fry Thermometer.....	13
5921N	Oven Guide Thermometer.....	15
5924	Refrigerator/Freezer Thermometer.....	17
5925NFS	Refrigerator/Freezer Thermometer.....	17
5926	Economy Hanging Refrigerator/Freezer Thermometer.....	17
5927	Glycol Refrigerator/Freezer Thermometer.....	17
5932	Oven Dial Thermometer.....	15

Model	Description	Page
5937N	Multi-Purpose Thermometer.....	12
5939N	Meat Thermometer.....	12
5948N	Tobacco Thermometer.....	20
5976N	Soil Thermometer.....	20
5977N	Refrigerator/Freezer Thermometer.....	17
5978N	Candy/Deep Fry Thermometer.....	14
5980N	Professional Hot Holding Thermometer.....	15
5981N	Professional Cold Holding Thermometer.....	18
5982N	Milk/Beverage Thermometer.....	18
5983N	Candy/Deep Fry Thermometer.....	14
5984J	Instant Read Oven Thermometer.....	12, 15
5985N	Hot Beverage Thermometer.....	20
5986N	Dial Proofing Thermometer.....	15
5988N	1" Standard Grade Instant Read Thermometer.....	4
5994	Refrigeration Thermometer.....	18
5989NFS	1" Standard Grade Instant Read Thermometer.....	4
5997E	Cappuccino Frothing Thermometer.....	20
6021	Surface Temperature Thermometer.....	15
6065N	1" Superior Grade Instant Read Thermometer.....	4
6071	1" Superior Grade Instant Read Thermometer.....	5
6072N	1" Superior Grade Instant Read Thermometer.....	5
6073J	1" Superior Grade Instant Read Thermometer.....	5
6075	1" Superior Grade Instant Read Thermometer.....	5
6076J	1" Superior Grade Instant Read Thermometer.....	5
6079J	1" Superior Grade Instant Read Thermometer.....	5
6084J8	Professional Candy/ Deep Fry Thermometer.....	14
6084J12	Professional Candy/ Deep Fry Thermometer.....	14
6091N	1" Standard Grade Instant Read Thermometer.....	4
6092N	1" Standard Grade Instant Read Thermometer.....	4
6092NBLBC	1" Dial Instant Read Reduce Cross Contamination Thermometer Color Coded: Blue - Fish.....	19
6092NBRBC	1" Dial Instant Read Reduce Cross Contamination Thermometer Color Coded: Brown - Cooked Meat.....	19
6092NFSA	1" Dial Instant Read Reduce Cross Contamination Thermometer 5-Pack.....	19
6092NPRBC	1" Dial Instant Read Reduce Cross Contamination Thermometer Color Coded: Purple - Allergy.....	19
6092NRDBC	1" Dial Instant Read Reduce Cross Contamination Thermometer Color Coded: Red - Raw Meat.....	19
6092NYLBC	1" Dial Instant Read Reduce Cross Contamination Thermometer Color Coded: Yellow - Poultry.....	19
6093N	1" Standard Grade Instant Read Thermometer.....	4
6094N	1" Standard Grade Instant Read Thermometer.....	4
6096N	1" Standard Grade Instant Read Thermometer.....	4
6099N	1" Standard Grade Instant Read Thermometer.....	4
61054J	Meat Thermometer.....	12
6211J	2" Superior Grade BiTherm® Thermometer.....	6
6212J	2" Superior Grade BiTherm® Thermometer.....	6
6215J	2" Superior Grade BiTherm® Thermometer.....	6
6220J	2" Superior Grade BiTherm® Thermometer.....	6
6235J	2" Superior Grade BiTherm® Thermometer.....	6
6246J	CharBroiler Thermometer.....	15
6580	Digital PH Meter.....	22
6580RP	PH Meter Replacement Probe.....	22
6714	Indoor/Outdoor 13.25" Dial Thermometer.....	24
6760	13.25" Big & Bold Clock.....	24
8018N	1 3/4" Standard Grade Instant Read Thermometer.....	5
814GW	Smoker Thermometer.....	15
8212J	1 3/4" Superior Grade BiTherm® Thermometer.....	6
8215N	1 3/4" Superior Grade BiTherm® Thermometer.....	6, 20
8220J	1 3/4" Superior Grade BiTherm® Thermometer.....	6
8238J	1 3/4" Superior Grade BiTherm® Thermometer.....	6
8750	TempRite® Temperature Test Labels.....	21
8751	TempRite® Temperature Test Labels.....	21
8752	TempRite® Temperature Test Labels.....	21
8766J	TempRite® Temperature Test Strips.....	21
8767J	TempRite® Temperature Test Strips.....	21

Model	Description	Page	Model	Description	Page
8769	TempRite® Temperature 3 in 1 Test Labels	21	TE10SSW	Waterproof Digital Portion Control Scale	41, 49
8791	TempRite® Digital Dishwasher Thermometer	21	TE10T	10 lb Digital Portion Control Scale with Tower Readout	40, 49
9305	Dual Temp Infrared & Thermocouple Thermometer	8	TE11FT	Digital Portion Control Scale	39, 48
9306N	Splash-Proof Dual Temp Infrared Thermometer with Fold Out Thermocouple Step Down Probe	7	TE11FTP	11 lb Digital Portion Control Scale	39
9405	High Accuracy Waterproof K-Type Thermocouple Thermometer	7	TE150	Receiving Scale with Stainless Steel Platform	47
9523	Infrared Thermometer	8	TE20SSW	Waterproof Digital Portion Control Scale	41, 49
9527	Infrared Thermometer	9	TE21P	21 oz Precision Measurement Digital Scale	41
5256881	12:1 Infrared Thermometer	9	TE22FT	Digital Portion Control Scale	39, 48
5262798	Digital Refrigerator/Freezer Thermometer	16	TE22OS	Digital Portion Control Scale with Oversized Platform	40, 48
9806	Clip-On Probe	8	TE220FT	Digital Receiving Scale	45
98102	Hamburger/Filet Probe	8	TE250	Receiving Scale with Stainless Steel Platform	45
9812	Angle Surface Probe	8	TE2FT	Compact Digital Portion Control Scale	39, 48
9818	Step-Down Penetration Probe with 3' Lead	8	TE30WD	Digital Portion Control Scale with Wireless Display	41, 49
9821PBN	Thermocouple Thermometer with Step Down K-Type Probe	7	TE32FT	Compact Digital Portion Control Scale	39, 48
9836	Adjustable Head Digital Thermometer	10	TE33OS	Digital Portion Control Scale with Oversized Platform	40, 48
983915	Adjustable Head Digital Candy/Deep Fry Thermometer	14	TE400	Receiving Scale with Steel Tread Plate Platform	45
9840PRN	Digital Thermometer	10, 30	TE50	Digital Portion Control Scale with Handle	40, 49
9840RB	Digital Thermometer	10, 30	TE66OS	Digital Portion Control Scale with Oversized Platform	40, 48
9841RB	High Temp Digital Thermometer	10, 30	THD32	Heavy Duty Mechanical Scale	46
9842FDA	Waterproof Digital Thermometer	10, 31	THD32D	Heavy Duty Mechanical Scale with Dashpot	46
9848EFDA	Waterproof Digital Thermometer	11, 31	THD50	Heavy Duty Mechanical Scale	46
9867FDA	Digital Folding Probe Thermometer	7, 11	TP16	Compact Analog Portion Control Scale	44
9868FDA	Folding Thermocouple Thermometer, Yellow	7, 11	TP16FF	French Fry / Taco Holder Scale	44
52568860	Folding Thermocouple Thermometer, Red	7, 11	TP32	Ice Cream Scale	44
9877FDA	Compact Waterproof Digital Thermometer	11, 31	TR250	Heavy Duty Mechanical Receiving Scale	47
9878E	High Precision Digital Thermometer	11, 31	TS10	Analog Portion Control Scale with Rotating Dial	45
9878EPR	Allergen Waterproof Digital Pocket Thermometer	11, 31	TS25KL	Analog Portion Control Scale with Rotating Dial	45
9940N	Panel Mount Digital Thermometer	18	TS32	Analog Portion Control Scale with Rotating Dial	45
9999N	HACCP Probe Wipes	19	TS32D	Analog Portion Control Scale with Dashpot	45
9999T	HACCP Probe Wipes	19	TS32F	Analog Portion Control Scale with Fixed Dial	45
			TS5	Analog Portion Control Scale with Rotating Dial	45
			TS50	Analog Portion Control Scale with Rotating Dial	45
			5282002	High Capacity Waterproof Scale	38
			5282765	Digital Coffee Scale	38
Timers			Professional Cutlery		
5806	Digital Multi-Purpose Timer	33, 36	5248350	12 Inch Slicer Knife with Kullens-Black	50
5816N	Chef's Timer & Stopwatch	34, 36	5248361	12 Inch Slicer Knife with Kullens-White	50
5817FS	Digital Continuous Ring Timer	34, 37	5248362	10 Inch Butcher Knife-Black	50
582721	Digital Timer	34, 36	5248363	10 Inch Butcher Knife-White	50
5822	Memory Digital Timer	33, 36	5248364	10 Inch Chef Knife-Black	50
5828	Dual Event Digital Timer/Clock	33, 37	5248365	10 Inch Chef Knife-White	50
5830	Stainless Steel 60 Minute Timer	32	5248366	10 Inch Slicer Knife-Black	51
5831N	60 Minute Timer	32	5248367	10 Inch Slicer Knife-White	51
5832	60 Minute Timer	32	5248368	10 Inch Offset Bread Knife-Black	51
5839N	4 Event Digital Timer	33, 37	5248369	10 Inch Offset Bread Knife-White	51
5842N21	Mini Timer	35	5248370	8 Inch Chef Knife-Black	51
584721	Digital Timer	34, 37	5248371	8 Inch Chef Knife-White	51
5849	4 Event Timer with Whiteboard	35, 37	5248372	8 Inch Bread Knife-Black	51
5862	Compact 4 Event Digital Timer	33, 37	5248373	8 Inch Bread Knife-White	51
5863	Water & Impact Resistant Timer	34, 37	5248374	7 Inch Santoku Knife-Black	51
5873	Super Loud (95 db) Timer	35, 37	5248375	7 Inch Santoku Knife-White	51
5879	Flashing Light Timer	35, 36	5248376	6 Inch Cleaver Knife-Black	52
5896	Jumbo Readout Digital Timer	34, 36	5248377	6 Inch Cleaver Knife-White	52
5261500	Dual Event Digital Timer	35	5248378	6 Inch Fillet Knife-Black	52
5282798	24 Hour Digital Timer	35	5248379	6 Inch Fillet Knife-White	52
			5248380	6 Inch Boning Knife-Black	52
			5248381	6 Inch Boning Knife-White	52
			5248382	5.5 Inch Serrated Utility Knife-Black	52
			5248383	5.5 Inch Serrated Utility Knife-White	52
			5248384	3.5 Inch Paring Knife-Black	52
			5248385	3.5 Inch Paring Knife-White	52
			5248386	3.5 Inch Paring Knife with Poly Handle-Black	53
			5248387	3.5 Inch Paring Knife with Poly Handle-White	53
			5252670	All Purpose Shears-Black	53
Scales					
1020NFS	Digital Kitchen Scale	38, 48			
1020PRNFS	Digital Kitchen Scale	38, 48			
1250BKT	Compact Digital Kitchen Scale	38			
3817	Compact Digital Kitchen Scale	38			
3817R	Compact Digital Kitchen Scale	38			
3907	Stainless Steel 22lb Digital Kitchen Scale	38			
5265117	Digital Keg Scale	42, 43			
TE10CSW	Waterproof Digital Portion Control Scale	41, 49			
TE10FT	Compact Digital Portion Control Scale	39, 48			
TE10PZR	10lb Precision Pizza Scale	40			
TE10R	Digital Portion Control Scale	40, 48			

Model	Description	Page
5265072	10 Inch Diamond Sharpening Steel-Black	53
5271192	3Pc Knife Set-Black	53
5274195	3Pc Knife Set-White	53
5254237	2-Sided Floor Display (Rack Only)	53
Kitchen Tools & Gadgets		
Chef'n		
102-138-005	Stem Gem® Strawberry Huller.....	54
102-143-005	Strawberry Slicester™	54
102-157-001	Freshforce™ Potato Ricer	55
102-159-017	Freshforce™ Citrus Juicer	54
102-205-017	Banza® Banana Slicer	54
102-238-001	Freshforce™ Garlic Press	55
102-241-005	Quickpit® Cherry Pitter	54
102-408-008	Freshforce™ Orange Juicer	54
102-415-011	Freshforce™ Lime Juicer	54
102-575-205	Hullster™ Tomato Corer.....	54
102-734-062	Looseleaf™ Kale & Greens Stripper.....	54
102-918-268	Sleekstor Pinch N Pour.....	55
5273475	Freshforce™ Handheld Slicer	55
Swing-A-Way Commercial Openers		
407FS	Portable Can Opener	56
407BKFS	Portable Can Opener	56
407RDFS	Portable Can Opener	56
407WHFS	Portable Can Opener	56
6080FS	Extra Easy Can Opener	57
6090FS	Crank Turn Handle Can Opener	57
609WHFS	Wall Can Opener Magnetic	57
Wine & Bar Accessories		
R3-15610FS	Wine Preserver with Stopper.....	59
5262463	Wine Bottle Stoppers	59
W4030FS	Pocket Corkscrew.....	58
W5614	2-Step Waiters' Corkscrew-Stainless Steel/Black.....	58
W5624	Walnut Zippity Two-Step	58
W6004N	Original Rabbit-Black	58
W6113	Foil Cutter	59
W6115	Wine/Champagne Sealer	59
W6119N	Stopper/Pourers-Colors	59
W6127N	Super Aerator	59
W6128	Stainless Steel Wine Pourers/Stoppers	59
R1-06301	Vertical Rabbit.....	58
W9955	Mojito Muddler.....	59


Model	Description	Page
Hotel & Resort Scales		
7029W	Digital Scale	60
5255149	Digital Scale	60
7506	Digital Glass Scale	61
7528W	Digital Glass Scale	61
7562	Digital Glass Scale	61
7604	Glass Digital Scale	60
7619	Digital Scale	61
916WHSVLKR	Professional Large Dial Scale.....	60
Replacement Parts & Accessories		
9400BG	Replacement Battery Gasket for 9405.....	62
9405BC	Replacement Battery Cover for 9405-9400	62
9405RH	Replacement Handle for 9405	62
97S35J	Wick for 5522, 5523 Hygrometers.....	62
TEADPT2	220V Adapter for Models: TE150, TE400, TE21P	62
TEADPT3	120V Adapter for Models: TE10R, TE10T, TE150, TE400, TE21P, TE50, TE10PZR.....	62
TEADPT3L	120V 90° Angle Adapter for Models: TE10R, TE10T, TE150, TE400, TE P, TE50, TE10PZR, TE32WDAR....	62
TEADPT5	120V Adapter for Models: TE10C, TE10CSW, TE32C.....	62
TEADPT7	220V Adapter for Model: TE10R	62
TEADPT11FT	120V Adapter for TE10SSW, TE20SSW	62
TEADPT12	120V Adapter for Models: TE10FT, TE11FT, TE2FT, TE22FT, TE22OS, TE32FT, TE33OS, TE66OS, TE11FTP	62
TEADPT12L	120V 90° angle adapter for Models: TE10FT, TE11FT, TE2FT, TE22FT, TE22OS, TE32FT, TE33OS, TE66OS, TE11FTP	62
TEADPT13FT	220V Adapter for Models: TE10FT, TE11FT, TE22FT, TE32FT	62
TERBAT	Replacement Battery for TE10R	62
TERBAT10SSWFT	Replacement Battery for TE10SSW, TE20SSW.....	62
TERTS10PZR	External Tare Switch for TE10PZR.....	62
TERBAT10PZR	Rechargeable Battery for TE10PZR	62
5265264	Stainless Steel Platform with Plastic Sub-Platform For Model TE11FTP	62
5265910	Wireless Meter Head For Model TE30WD	62
Temperature Guides		
	English.....	66
	Spanish	67

TAYLOR®

GUIDE FOR TEMPERATURE SAFETY

Temperature Zones

Fahrenheit



Handling Guidelines



Maintain cold foods at or below 41°F.
Maintain hot foods at or above 135°F.



Potentially hazardous hot food should be cooled rapidly. 135°F cooled to 70°F within 2 hours. 70°F cooled to 41°F within 4 hours. Using shallow pans with a product depth of no greater than 2 inches, the food should be placed in a refrigerator uncovered or loosely covered during the cooling process.



Never defrost food at room temperature. Use a refrigerator, continuously running cold water, a microwave or cook from frozen state. Frozen food that has been thawed should be cooked or otherwise processed before it may be refrozen.



Cook foods to the proper internal temperature. Use a metal probe thermometer to ensure food is cooked properly.



Wash your hands thoroughly with hot soapy water (before and after handling food) for a minimum of 20 seconds.



Avoid handling food when: ill, have a skin infection, or have cuts on the hands.



Never cross contaminate from raw to cooked products.



Wash, rinse and sanitize cutting boards and knives between every use.



Reheat leftovers to 165°F internal temperature or higher, stirring constantly to cook evenly or microwave to 195°F. Never reheat leftovers more than once.



Keep kitchens, dining areas and storage rooms free from insects and rodents. Store chemicals away from food.

Taylor® Food Service Thermometers make food safety easy in your cooking environment. For more information on Taylor, visit our website: www.taylorusa.com.

TAYLOR®

SEGURIDAD DE LOS ALIMENTOS

Zonas de Temperaturas

Fahrenheit Celsius

220°	104°	
210°	99°	212°F/100°C Temperatura a la que hierve el agua al nivel del mar.
200°	93°	
190°	88°	180°F-195°F/82°C-91°C Gama de temperaturas requerida para lavaplatos higiénicos sin productos químicos.
180°	82°	
170°	77°	Cocine a temperaturas internas seguras: 165°F/74°C - Temperatura a la que mueren la mayoría de las bacterias.
160°	71°	Temperatura interna recomendada: Huevos al menos: 155°F/68°C Cerdo al menos: 160°F/71°C Aves: 170°F/77°C Carne de res: molida intermedia, al menos 160°F/71°C molida, muy hecha 170°F/77°C
150°	66°	
140°	60°	
130°	54°	135°F/57°C Temperatura mínima para mantener caliente incluidos los alimentos listos para comer y estilo buffet.
120°	49°	
110°	43°	120°F/49°C Temperatura mínima del agua caliente en una instalación donde se sirvan comidas.
100°	38°	
90°	32°	
80°	27°	
70°	21°	
60°	15°	
50°	10°	
40°	4°	41°F/5°C Máxima temperatura para mantener los alimentos fríos.
30°	-1°	41°F/5°C Temperatura de descongelación de los alimentos congelados.
20°	-7°	35°-41°F/2°C-5°C Gama de temperaturas a la que debe ajustarse el refrigerador para asegurar una temperatura interna apropiada de los alimentos.
10°	-12°	32°F/0°C Temperatura de congelación del agua.
0°	-18°	
-10°	-23°	Guarde los alimentos congelados a menos de 0°F/-18°C.

Zona de Peligro
41°F-135°F
5°C-57°C

Normas de Manipulación



Conserve los alimentos fríos a 41°F/5°C o menos. Conserve los alimentos calientes a 135°F/57°C o más.



Los alimentos calientes que puedan ser peligrosos deben enfriarse rápidamente. De 135°F/57°C a 70°F/21°C en un plazo de 2 horas. De 70°F/21°C a 41°F/5°C en un plazo de 4 horas. Durante el proceso de enfriamiento, los alimentos deben colocarse en recipientes poco profundos donde la profundidad de los alimentos no sea mayor que 2 pulgadas y ponerse en un refrigerador sin taparlos o tapándolos ligeramente.



No descongele nunca los alimentos a la temperatura ambiente. Use un refrigerador, agua corriente fría continuamente, horno de microondas, o cocine en estado congelado. Los alimentos congelados que se hayan descongelado deben cocinarse o procesarse antes de que se puedan volver a congelar.



Cocine los alimentos a la temperatura interna apropiada. Use un termómetro de metal tipo sonda para asegurarse de que los alimentos se cocinen de forma apropiada.



Lávese las manos completamente con agua caliente y jabón (antes y después de manipular los alimentos) durante un mínimo de 20 segundos.



No manipule los alimentos cuando esté enfermo, tenga una infección de la piel o tenga cortes en las manos.



No contamine los alimentos cocinados con alimentos crudos.



Lave, enjuague e higienice las tablas de cortar y los cuchillos cada vez que se usen.



Vuelva a calentar las sobras a una temperatura interna de 165°F/74°C o más, agitando constantemente para calentar por igual, o póngalas en un horno de microondas a 195°F/91°C. No vuelva a calentar las sobras más de una vez.



No permita que haya insectos y roedores en las cocinas, comedores y áreas de almacenamiento. Guarde los productos químicos apartados de los alimentos.

Los termómetros de servicio de alimentos Taylor® facilitan la seguridad alimentaria en su ambiente de cocción. Para obtener más información sobre Taylor, visite nuestro sitio web: www.taylorusa.com.



All orders and customer service
inquires please contact:

Taylor Precision Products
Customer Service & Distribution
Phone: 575-526-0944
Toll Free: 800-289-0944
Fax: 575-526-3913
Email: foodservice@filamentbrands.com
Email orders to: customerorders@filamentbrands.com
Oak Brook, IL 60523
www.taylorusa.com

A Division of:
Lifetime Brands
1000 Stewart Avenue
Garden City, NY 11530



© 2021 Taylor Precision Products and its affiliated companies, all rights reserved. Taylor® is a registered trademark and Cal-Max™ and Accu-Glo™ are trademarks of Taylor Precision Products and its affiliated companies. All rights reserved.

CAT-TAY-FS-21B

TOOLS THE PROS TRUST